

BLAUPUNKT



Enjoy it.

Small Household Appliances
Catalogue 2023/2024



Brand history

- 1924** – A company named “Ideal” was first founded in Berlin when radio was still in its infancy. Every unit was carefully tested by technicians and labeled with a seal for quality — the blue dot. It did not take long before customers simply asked for the “bluepoint” products. The blue dot quickly became known as a symbol of outstanding quality.
- 1932** – The first car radio in the world was launched by Blaupunkt.
- 1938** – The dot became a trademark as well as the new company name: Blaupunkt.
- 1959** – The year 1959 saw the delivery of the one millionth car radio.
- 1971** – Ten million Blaupunkt car radios.
- 1974** – First car radio with traffic information receiver.
- 1979** – 25 million Blaupunkt car radios.
- 1982** – Prototype of first route guidance system.
- 1989** – World’s first mass production ready traffic navigation system.
- 1999** – Production of 100 milion Blaupunkt car radios.
- 2002** – First web-linked navigation system.
- 2007** – 75 years car radio.
- 2010** – Blaupunkt TV and Multiband Receivers became the first licensed product categories of the Blaupunkt Global Brand Community.
- 2012** – The product range of Blaupunkt was expanded to include additional product categories such as tablet computers, mobile navigation, audio and video and air conditioning.
- 2015** – Blaupunkt have been awarded as the “Brand of the century – German brand standards”.
- 2016** – The product range of Blaupunkt was expanded to include additional product categories such as small household appliance.
- Today** – The Blaupunkt Global Brand Community is a growing community of independent brand partners covering almost every category of the consumer lifestyle all over the world.

Enjoy it.



Preparing food

- Slow juicers
- Citrus juicers
- Table blenders
- Hand blenders
- Meat mincers
- Stand mixers
- Food slicer
- Choppers
- Hand mixers



Enjoy it.

SLOW JUICERS

SJV801



Technical data:

- Special dual stage design of the auger for best performance of cutting, grinding and extracting of juice
- Powerful brushless AC motor max 500 W
- Extracts from fruits up to 90% of juice
- Two filters with different density for clearer juices or filled with flesh
- Reverse function
- Quiet operation, less than 65 dB
- 1 l cup for juicer and 1 l cup for pulp
- Easy cleaning (detachable elements are dishwasher safe)
- Vegetable slicer accessory with three disk (grating, slicing, cutting fries, shredding)
- Ice cream dessert maker accessory
- Anti-drip function
- High quality BPA-free plastic
- Power supply 220-240 V ~ 50/60 Hz
- Power: 260 W, max 500 W
- Dimension: 24 x 15 x 32.8 cm
- Weight: 8.8 kg
- EAN code: 5901750503177



SJV601



Technical data:

- Special dual stage design of the auger for best performance of cutting, grinding and extracting of juice
- Extracts from fruits up to 90% of juice
- Silicone brushes to reduce jamming of the mesh
- Reverse function
- 1 l cup for juicer and 1 l cup for pulp
- Stainless steel body
- Metal gears for efficiency of juice extracting even from the hardest fruits and vegetables
- Easy cleaning (detachable elements are dishwasher safe)
- Anti-drip function
- High quality BPA-free plastic
- Power supply 220-240 V~50/60 Hz
- Power: 400 W
- Dimension: 24 x 15 x 32,8cm
- Weight: 5 kg
- EAN code: 5901750500770

SJV301



Technical data:

- Special dual stage design of the auger for best performance of cutting, grinding and extracting of juice
- Extracts from fruits up to 90% of juice
- Silent low-speed motor
- Rotating speed 40-65 RPM
- Quiet work, less than 60-65 dB
- Reverse function
- 0.8 l cup for juicer and 0.9 l cup for pulp
- Stainless steel body
- Easy cleaning (detachable elements are dishwasher safe)
- Anti-drip function
- High quality BPA-free plastic
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 200 W
- Dimension: 22 x 18,5 x 42 cm
- Weight: 3.5 kg
- EAN code: 5901750503528





CITRUS JUICERS

CJS601



Technical data:

- Capacity of the integrated juice jug: 1.7 l (usable 1.5 l)
- Jug with measuring scale
- Set of two different size cones
- High quality BPA-free plastic
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 100 W
- Dimension: 25.3 x 18.7 x 25.7 cm
- Weight: 1.77 kg
- EAN code: 5901750504808



CJS401



Technical data:

- Capacity of the integrated juice jug: 1.2 l
- Adjustable strainer for pulp control
- Power cord storage
- Power cord storage
- Jug with measuring scale
- Alternating rotation of the cone
- Set of two different size cones
- High quality BPA-free plastic
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 40 W
- Dimension: 21.5 x 14.5 x 23.3 cm
- Weight: 0.96 kg
- EAN code: 5901750500893



CJS301



Technical data:

- Capacity of the integrated juice jug: 0.5 l
- Power cord storage
- Jug with measuring scale
- Alternating rotation of the cone
- Set of two different size cones
- High quality BPA-free plastic
- Power supply 230 V ~ 50/60 Hz
- Power: 40 W
- Dimension: 21 x 16.4 x 15.4 cm
- Weight: 0.6 kg
- EAN code: 5901750500886



HAND BLENDERS

HBD801BK/WH



Blaupunkt hand blenders are a perfect, practical and functional assistant in any modern kitchen. With their help, you can simply mix cream or cottage cheese, prepare a nutritious cocktail, crush even the toughest nuts, make dough or whisk eggs. Blender is a versatile device that will make cooking activities in your kitchen more enjoyable. A wide range of accessories to prepare specific products will make blenders face every challenge. The ergonomic shape will allow you to work with the device without feeling tired or uncomfortable, we used only highest quality of materials, thanks to that we can guarantee that the blender will last for years without losing its properties over time.



Technical data:

- Powerful, quiet DC motor: 1000 W
- Smooth speed regulation
- Detachable stainless steel blending rod
- Special shape of shaft for better flow of blended food between blades
- Special titanium coated quadruple blades
- Accessories: plastic measuring jug, chopper, whisk, food slicer/grater with three attachments, s/s potato masher
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 1000 W
- Weight: 2.65 kg
- EAN code: 5901750501357 (BK)
- EAN code: 5901750501326 (WH)



HBD501BK/WH



Technical data:

- Powerful, quiet DC motor, 1000 W
- Smooth speed regulation
- Detachable stainless steel blending rod
- Special shape of shaft for better flow of blended food between blades
- Special titanium coated quadruple blades
- Accessories: plastic measuring jug, chopper
- High quality BPA-free materials
- Power supply 220 – 240 V~50/60 Hz
- Power: 1000 W
- Weight: 1.46 kg
- EAN code (BK): 5901750501340
- EAN code (WH): 5901750501319



HBD401BK/WH



Technical data:

- Powerful, quiet DC motor, 1000 W
- Smooth speed regulation
- Detachable stainless steel blending rod
- Special shape of shaft for better flow of blended food between blades
- Special titanium coated quadruple blades
- Accessories: plastic measuring jug and whisk
- High quality BPA-free materials
- Power supply 220 – 240 V~50/60 Hz
- Power: 1000 W
- Weight: 1.26 kg
- EAN code (BK): 5901750501333
- EAN code (WH): 5901750501302



HBD211



Technical data:

- Ergonomic slim shape for perfect grip
- 2 speeds
- Detachable stainless steel blending shaft
- Stainless steel blades
- High quality BPA-free materials
- Power supply: 220 – 240 V ~ 50/60 Hz
- Power: 1100 W
- Weight: 0.8 kg
- Dimension: 6.7 x 6.7 x 39.5 cm
- EAN code: 5901750503405



PERSONAL BLENDERS

TBP601BL



Blaupunkt personal blender is a unique solution for active people, healthy eating enthusiasts and for all those who are living in a hurry. With its TBP601BL/GY model you can take your favorite and yet nutritious cocktail everywhere – to work, school or to the park. The tritan cups in which the products are prepared, after disconnecting from the base and closing the lid, can serve as a container for a healthy meal. Personal Blender is the ideal solution in its simplicity and functionality.

Technical data:

- Two tritan jars in set: 0.57 l and 0.4 l
- With lids to match as a drinking cup, you can take
- 4-winged blades for max performance
- Convenient button for easy operation
- Dry grinder and chopper as accessories
- Ice crushing
- High quality BPA-free materials
- Power supply: 220-240 V ~50/60 Hz
- Power: 700 W
- Dimension: 9 x 9 x 16 cm
- Weight: 2.3 kg
- EAN code: 5901750501937



TABLE BLENDERS

TBG801



Technical data:

- High max. power: 1500 W
- Capacity of the jar: 1.75 l
- Manual or automatic operation
- 2 automatic programs for ice crushing and smoothie
- Pulse mode with „Turbo“
- Smooth speed control
- Specially designed 4-winged blades
- Titanium coated blades, 10 x stronger than steel
- Additional blend&go bottle
- Easy cleaning with fully dismountable blades system from the jar
- Additional blend&go bottle
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, rated power: 1200 W
- Dimension: 21.5 x 18.6 x 43.8 cm
- Weight: 4.17 kg
- EAN code: 5901750504570



TBG601



Technical data:

- High max. power: 1500 W
- Capacity of the jar: 1.75 l
- High rotation speed up to 30 000 rpm
- 5 speed setting
- Specially designed 4-winged blades
- Pusher for easier mixing and blending of harder and bigger ingredients
- Easy cleaning with fully dismountable blades system from the jar
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, rated power: 1300 W
- Dimension: 21.5 x 18.6 x 43.8 cm
- Weight: 3.82 kg
- EAN code: 5901750504563





FOOD SLICERS

FMS601



Technical data:

- Blade made of high quality stainless steel
- Diameter of blade: 19 cm
- Stable aluminium base
- Die-casted aluminium thickness adjustable plate
- Wide slicing regulation 0 – 20 mm
- Detachable sliding platform
- Plastic pusher
- Anti-slip silicone feet
- Power supply: 220 – 240 V ~ 50/60 Hz, max: 250 W, rated: 200 W
- Dimension: 38 x 25 x 28 cm
- Weight: 3.5 kg
- EAN code: 5901750503467



FMS501



Technical data:

- Blade made of high quality stainless steel
- Peak power up to 200 W
- Diameter of blade: 17 cm
- Stable aluminium base
- Die-casted aluminium thickness adjustable plate
- Wide slicing regulation 0 – 20 mm
- Plastic food/crumb tray
- Detachable sliding platform
- Power cord storage
- Plastic pusher
- Anti-slip silicone feet
- Power supply: 220 – 240 V ~ 50/60 Hz
- Max power: 200 W, rated: 160 W
- Dimension: 34.1 x 24 x 24.2 cm
- Weight: 2.9 kg
- EAN code: 5901750503450



CHOPPER

CPG601



Technical data:

- Capacity of the glass bowl: 0.8 l
- Chops vegetables, meat, nuts, ice
- Special shape of blade for best chopping performance
- 2 speeds for best control of chopping process
- Egg whipping accessory included
- High quality BPA-free materials
- Power supply 220-240 V ~ 50/60 Hz
- Power: 450 W
- Dimension: 22.5 x 27 x 19 cm
- Weight: 2.35 kg
- EAN code: 5901750500855



MEAT MINCERS

FMM501



Technical data:

- High mincing efficiency, up to 2.2 kg/min
- Strong motor with peak power up to 2000 W
- Two mincing speed levels and reverse function
- 3 meat mincer disks made of high hardness grade stainless steel (SUS420) with hole's diameter: 3, 5, 7 mm
- Metal mincing chamber and feeding tray
- Quiet operation below 80 dB
- High quality BPA-free materials
- 3 discs, blade, food pusher, sausage attachment
- Blue LED backlit buttons
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 500 W
- Dimension: 23 x 20.5 x 13 cm
- Weight: 2.2 kg
- EAN code: 590175050306



FMM401



Technical data:

- High mincing efficiency: up to 2 kg/min
- Strong motor with peak power: up to 1500 W
- 3 meat mincer disks made of high hardness grade stainless steel (SUS420) with hole's diameter: 3, 5 and 7 mm
- Reverse function
- Metal mincing chamber
- Quiet operation: below 78 dB
- High quality BPA-free materials
- 3 discs, blade, plastic feeding tray, food pusher
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 500 W
- Dimension: 33.4 x 15.3 x 28.8 cm
- Weight: 1.8 kg
- EAN code: 5901750504785



FMM301



Technical data:

- High mincing efficiency: up to 1.5 kg/min
- Strong motor with peak power: up to 1300 W
- Reverse function
- 3 meat mincer disks with hole's diameter: 3, 5 and 7 mm
- Blade made of high hardness grade stainless steel (SUS420)
- Metal mincing chamber
- Quiet operation: below 80 dB
- High quality BPA-free materials
- 3 discs, blade, plastic feeding tray, food pusher
- Power supply: 220-240 V ~ 50/60 Hz, power: 600 W
- Dimension: 33.4 x 15.3 x 28.8 cm
- Weight: 2.1 kg
- EAN code: 5901750506437



MIXERS

SMM501



Technical data:

- High max power: 1500 W
- Rapid ramming and mixing
- Beater, hook, whisk included
- Smooth, electronically controlled working speed regulation
- Constant speed and planetary working system
- Speed range: 55 – 160 rpm
- 33° pop up head lift
- 5 l rotating stainless steel bowl
- Power supply: 220-240 V ~ 50/60 Hz, rated power: 1000 W
- Dimension: 40.8 x 22.4 x 35.2 cm
- Weight: 4.38 kg
- EAN code: 5901750504792



HMM401



Technical data:

- High maximum power: 750 W
- Rapid ramming and mixing
- Two beaters and two hooks included
- Eject button for releasing attachments
- 5 working speeds
- Power supply: 220-240 V ~ 50/60 Hz, power: 500 W
- Dimension: 19 x 5.5 x 15 cm
- Weight: 1.2 kg
- EAN code: 5901750504501

HMM601



Technical data:

- High maximum power: 750 W
- Rapid ramming and mixing
- Two beaters and two hooks included
- Eject button for releasing attachments
- 5 working speeds
- 3 l rotating plastic bowl
- Power supply: 220-240 V ~ 50/60 Hz, power: 500 W
- Dimension: 28 x 19 x 33 cm
- Weight: 2 kg
- EAN code: 5901750504518





Preparing breakfast

- Coffee grinders
- Coffee makers
- Toasters
- Breakfast sets
- Electric kettles



Enjoy it.

COFFEE GRINDER

FCM501



Technical data:

- Maximum power: 200 W
- Burr grinding system
- Removable ground coffee container with a capacity of 180 g
- 250 g bean tank
- Adjustment of the grinding time from 2 to 12 cups of coffee
- Precise adjustment of grinding fineness in the range of 1 - 31
- Power supply: 220-240 V ~ 50/60 Hz, power: 120 W
- Dimension: 20.5 x 15 x 29 cm
- Weight: 1.2 kg
- EAN code: 5901750506987



FCG801



Technical data:

- High power: 200 W
- Fast grinding
- Detachable, stainless steel grinding chamber
- Capacity up to 85 g of coffee beans
- Power supply: 220-240 V ~ 50/60 Hz,
- power: 200 W
- Dimension: 11.9 x 11.9 x 21.2 cm
- Weight: 0.9 kg
- EAN code: 5901750507038



FCG701



Technical data:

- High peak power: 200 W
- Fast grinding
- Detachable, stainless steel grinding chamber
- Capacity up to 85 g of coffee beans
- Power supply 220-240 V~50/60 Hz,
- rated power: 120 W
- Dimension: 10.1 x 11 x 20.5 cm
- Weight: 0.95 kg
- EAN code: 5901750502545



COFFEE MAKERS

CMP601



Technical data:

- 15-bar high-pressure pump
- High-performance heating system ensures the best results
- Makes both espresso and milk based coffee drinks (cappuccino, latte)
- Water-stop function allows you to set the preferred size of your coffee
- Removable transparent 1.8-litre water tank
- Removable 0.5-litre milk container, easy to store in the fridge
- Double steel filter extracts even more aroma and the right qualities from your coffee
- Three filters are included (single espresso, double espresso, 44-mm pads)
- User-friendly panel with 7 illuminated buttons allows you to choose your favorite coffee
- Systems protecting against overheating and excessive pressure
- Detachable milk-frothing nozzle and removable drip tray for easy cleaning
- Steel tray for pre-heating cups
- Automatic switch-off
- Power supply: 220-240 V~50/60 Hz, power: 1350 W
- Unit size: 32 x 24.8 x 36.5 cm
- Weight: 4.8 kg
- EAN code: 5901750502668



CMP501



Technical data:

- 20-bar high pressure pump
- Efficient heating element for best performance
- Double thermostat solution for perfect temperature both for espresso and for milk frothing
- Can make 1 or 2 cups of espresso
- Flow stop function to personalise your coffee length
- Transparent and removable water reservoir (1.5 l)
- Double-stainless steel filter to improve coffee quality and crema
- 4 buttons with indicator lights to make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Detachable frothing nozzle and drip tray for easy cleaning
- Durable stainless steel cup plate for coffee cups pre-heating
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 950 W
- Dimension: 28.6 x 21.4 x 29.3 cm
- Weight: 3 kg
- EAN code: 5901750506949



CMP312



Technical data:

- 15-bar high pressure pump
- Efficient heating element for best performance
- Double thermostat solution for perfect temperature both for espresso and for milk frothing
- Can make 1 or 2 cups of espresso
- Flow stop function to personalize your coffee length
- Transparent and removable water reservoir (1.6 l)
- Double-stainless steel filter to improve coffee quality and crema
- 3 buttons to make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Detachable frothing nozzle and drip tray for easy cleaning
- Durable stainless steel cup plate for coffee cups pre-heating
- Auto shut-off
- Power supply 220-240 V ~ 50 Hz, power: 850 W
- Unit size: 27 x 23 x 30 cm
- Weight: 3 kg
- EAN code: 5901750503368



CMP301



Technical data:

- 15-bar high pressure pump
- Efficient heating element for best performance
- Double thermostat solution for perfect temperature both for espresso and for milk frothing
- Can make 1 or 2 cups of espresso
- Flow stop function to personalize your coffee length
- Transparent and removable water reservoir (1.6 l)
- Built-in boiler (150ml) for heating water
- Double-stainless steel filter to improve coffee quality and crema
- 3 buttons with indicator lights to make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Detachable frothing nozzle and drip tray for easy cleaning
- Durable stainless steel cup plate for coffee cups pre-heating
- Auto shut-off
- Power supply 220-240 V ~ 50 Hz, power: 850 W
- Unit size: 30 x 24 x 30 cm
- Weight: 3.2 kg
- EAN code: 5901750501418





CMD401



Technical data:

- Water tank capacity: 1.25 l (10-12 cups)
- Keep warm function
- Non-stick coated heating plate
- Auto shut-off after 40 minutes
- Nylon permanent filter
- Compatible with filters 1x4
- Voltage: 220-240 V ~ 50/60 Hz, power 800 W
- Dimension: 27 x 15.5 x 31 cm
- Weight: 1.3 kg
- EAN code: 5901750504259

CMD201



Technical data:

- Water tank capacity: 0.65 l (4-6 cups)
- Keep warm function
- Non-stick coated heating plate
- Auto shut-off after 40 minutes
- Nylon permanent filter
- Compatible with filters 1x2
- Voltage: 220-240 V ~ 50/60 Hz, power: 600 W
- Dimension: 22 x 15 x 25.5 cm
- Weight: 0.98 kg
- EAN code: 5901750504242





BREAKFAST SETS

TOASTER **TSS801BK**



ELECTRIC KETTLE **EKS801BK**



Technical data (toaster):

- Black brushed aluminum finishing
- 2 wide slots for two slices (33 mm)
- Auto-centering guide
- Electronic browning control
- Smooth 7-levels browning time regulation
- Defrost and reheat modes
- Automatic shut-off and pop-up
- 3 indicator lights
- Crumb tray
- Anti-jam protection
- Power cord storage
- Cool touch body
- Anti-slip rubberized feet
- Power supply 220-240 V ~ 50/60 Hz, power: 730 – 870 W
- Dimension: 27,7 x 16 x 17 cm
- Weight: 1.5 kg
- EAN code: 5901750501401

Technical data (electric kettle):

- Capacity: 1.5 l, min 0.5 l
- Black brushed alluminium finish
- Rotary base, concealed stainless steel heating element
- Double wall for better thermal insulation
- Lid opening button
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- LED illumination when heating
- Strix controller
- Power supply 220-240 V ~ 50/60 Hz, power: 1850-2200 W
- Dimension: 23.6 x 14.9 x 25 cm
- Weight: 1.46 kg
- EAN code: 5901750501395



AIR FRYER

AFD802WH



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use.
- Frying basket capacity: 3.5 l
- Temperature regulation 80-200°C
- Timer: 1 h
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1400 W
- Dimension: 26.8 x 26 x 33 cm
- Weight: 3.5 kg
- EAN code: 5901750507007



DRIP COFFEE MAKER

CMD802WH



Technical data:

- Water tank capacity: 1.5 l (12-14 cups)
- Keep warm function
- Programable timer and strength
- Non-stick coated heating plate
- Auto shut-off after 40 minutes
- Nylon permanent filter
- Compatible with filters 1 x 4
- Voltage: 220-240 V~50/60 Hz
- Power 900 W
- Dimension: 27.4 x 18.3 x 35.1 cm
- Weight: 1.83 kg
- EAN code: 5901750504778



TOASTER **TSS802WH**



ELECTRIC KETTLE **EKS802WH**



Technical data (toaster):

- 2 wide slots for two slices (33 mm)
- Auto-centering guide
- Electronic browning control
- Smooth 6-levels browning time regulation
- Defrost and reheat modes
- Automatic shut-off and pop-up
- High lift feature for smaller slices
- 3 indicator lights
- Crumb tray
- Anti-jam protection
- Cool touch body
- Anti-slip rubberized feet
- Power supply: 220-240 V ~ 50/60 Hz, power: 750-900 W
- Dimension: 31.4 x 19 x 20.5 cm
- Weight: 1.51 kg
- EAN code: 5901750504617

Technical data (electric kettle):

- Capacity: 1.8 l, min. 0.8 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Temperature indicator
- Automatically turns off when water boils or after removing kettle from base
- Boiling dry protection
- Filter
- Strix controller
- Power supply: 220-240 V ~ 50 Hz, power: 2500-3000 W
- Dimension: 23.4 x 20 x 27.5 cm
- Weight: 1.24 kg
- EAN code: 5901750504600





ELECTRIC KETTLES

EKS701



Technical data:

- Capacity: 1.5 l, min. 0.5 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Lid opening button
- Automatically turns off when water boils
- Boiling dry protection
- Insulated double wall, cool touch
- Controller Strix
- Power supply: 220-240 V ~ 50/60 Hz, power: 1400-1600 W
- Dimension: 22 x 15.6 x 25.4 cm
- Weight: 1.08 kg
- EAN code: 5901750505201

EKD601



Technical data:

- Capacity: 1.7 l, min. 0.5 l
- Water temperature display
- Keep-warm function active up to 24 hours
- Water heating temperature selection: 100°C, 90°C, 80°C, 55°C, 40°C
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Lid opening button
- Automatically turns off when water boils
- Boiling dry protection
- Insulated double wall, cool touch
- Controller Strix
- Power supply: 220-240 V ~ 50/60 Hz, power: 1850-2200 W
- Dimension: 21.2 x 16.2 x 26.2 cm
- Weight: 1.3 kg
- EAN code: 5901750505218



EKP502



Technical data:

- Capacity: 1.7 l, min. 0.5 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality plastic (BPA-free)
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- Strix controller
- Power supply: 220-240 V ~ 50/60 Hz, power: 1850-2200 W
- Dimension: 21.7 x 15.5 x 24.5 cm
- Weight: 0.86 kg
- EAN code: 5901750504761



EKS401



Technical data:

- Capacity: 1.7 l, min 0.5 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Lid opening button
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- Strix controller
- Power supply 220-230 V ~50/60 Hz, power: 1850-2000 W
- Dimension: 22.3 x 14.9 x 23.3 cm
- Weight: 0.93 kg
- EAN code: 5901750501432



EKG301



Technical data:

- Capacity: 1 l, min 0.25 l
- Rotary base, concealed stainless steel heating element
- Body made of high borosilicate glass (better durability and stain resistant)
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- Blue LED illumination when heating
- Power supply 220-240 V ~50/60 Hz, power: 1360-1630 W
- Dimension: 20.5 x 15.5 x 20.3 cm
- Weight: 0.96 kg
- EAN code: 5901750502637





Cooking

- Electric grills
- Sandwich makers
- Electric ovens
- Air fryers
- Kitchen scales
- Popcorn makers
- Food dehydrators



Enjoy it.

ELECTRIC GRILL

GRS901



Technical data:

- Electronic temperature and grilling time control
- Removable double hot plates: plain and ribbed (22 x 32 cm)
- Extra set of waffle hot plates
- Adaptable top lid for the best contact with grilled food
- Non-stick coated hot plates
- High-quality, health-safe, PFOA-free, non-stick coating
- Can be used as an open grill (180° opening lid, with a locking system)
- Grilling mode selection (top, bottom, top + bottom)
- Display showing the operating parameters
- Retractable drip tray for juice/fat
- Cool touch handle
- Power supply: 220-240 V~; 50/60 Hz, power: 2.000 W, weight: 5.23 kg
- Dimensions: 35.5 x 17.5 x 33 mm
- EAN code: 5901750505355



GRS701



Technical data:

- Thick detachable plates covered with high quality non-stick coating free of PFOA
- Grooved heating plate (23 x 34 cm)
- Adjustable temperature control
- Cool-touch safe handle
- Stainless steel body
- Floating hinge system automatically adjusts to any size of toast, meat or snack
- Can work as an open grill (180 degree opening system, with lid locking)
- Drip tray for collecting excess oil
- Power supply 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimension: 38 x 13.5 x 37 cm
- Weight: 4.6 kg
- EAN code: 5901750500992



GRS501



Technical data:

- Thick detachable plates covered with high quality non-stick coating free of PFOA
- Grooved heating plate (29 x 23 cm)
- Adjustable temperature control
- Cool-touch safe handle
- Stainless steel body
- Floating hinge system automatically adjusts to any size of toast, meat or snack
- Can work as an open grill (180 degree opening system, with lid locking)
- Drip tray for collecting excess oil
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimension: 32.3 x 12.1 x 33.5 cm
- Weight: 4.4 kg
- EAN code: 5901750504952



GRT801



Technical data:

- High power: 2200 W
- Large grilling surface: 39 x 29 cm
- Thick grilling plate with flat and corrugated surface
- Grilling plate coated with a non-stick coating free of PFOA
- Drainage of excess fat and removable drip tray
- Detachable controller with thermostat
- Easy to clean, the grilling plate can be washed under running water
- Power supply: 220-240 V ~ 50/60 Hz, power: 2200 W
- Dimension: 50.9 x 38.9 x 12.9 cm
- Weight: 4.94 kg
- EAN code: 5901750504747



GRT601



Technical data:

- High power: 1500 W
- Large grilling surface: 40 x 40 cm
- The conical shape facilitates the removal of excess fat and even temperature maintenance over surface
- Grilling plate coated with a non-stick coating, free of PFOA and PTFE
- Drainage of excess fat and removable drip tray
- Detachable controller with thermostat
- Easy to clean, the grilling plate can be washed under running water
- Power supply: 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimension: 41.3 x 40.1 x 8.8 cm
- Weight: 2.9 kg
- EAN code: 5901750504204



GRT301



Technical data:

- High power: 2000 W
- Large grilling surface: 45 x 30 cm
- Thick grilling plate with flat and corrugated surface
- Grilling plate coated with a non-stick coating, free of PFOA and PTFE
- Drainage of excess fat and removable drip tray
- Detachable controller with thermostat
- Easy to clean, the grilling plate can be washed under running water
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimension: 56.2 x 32 x 8.2 cm
- Weight: 2.25 kg
- EAN code: 5901750504198



SANDWICH MAKERS

SMS611



Technical data:

- 3in1: sandwich maker/grill/waffle maker plate sets
- Roasting plates coated with non-stick coating
- High quality non-stick coating free of PFOA
- Control lights shows the status of the device
- Automatic thermostat driven regulation of temperature
- Buckle Clip on Handle
- Cool-touch body
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 750 W
- Dimension: 24.2 x 23.8 x 10 cm
- Weight: 1.62 kg
- EAN code: 5901750505010



SMS411



Technical data:

- Roast 4 triangle sandwiches (2 slices) at one time
- Roasting plates coated with non-stick coating
- High quality non-stick coating free of PFOA
- Control lights shows the status of the device
- Buckle Clip on Handle
- Automatic thermostat driven regulation of temperature
- Cool-touch body
- Power supply: 220-240 V ~ 50/60 Hz, power: 750 W
- Dimension: 22.2 x 22.2 x 9.5 cm
- Weight: 1.14 kg
- EAN code: 5901750504020



AIR FRYERS

AFD712



Air Fryer, high quality multifunctional device, which helps you to prepare easily and quickly delicious chips, that are crispy on the outside and soft on the inside. Our devices have also many functions, it can bake, grill, fry and heat up. All these features make the air fryer your indispensable assistant in the kitchen while cooking dishes with meat, fish or vegetables. Air fryer is well known for their very low oil usage, thanks to that you can use less oil than frying in a traditional way or in deep fryer. Until now, enthusiasts of fries or fried foods had to face the risk of being unhealthy caused by their cooking habits.

Technical data:

- Multipurpose: fry, roast, grill, bake, reheat, dry
- Hot air vortex technology allows to fry meals evenly, with less fat use
- Frying basket capacity: 7.2 l
- Temperature regulation 40-200°C
- Timer: 1 h
- 8 predefined programs
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1800 W
- Dimension: 38.7 x 30.3 x 31.9 cm
- Weight: 5 kg
- EAN code: 5901750506895



AFD601



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use.
- Aluminum basket (2.5 l) and pan (4 l) coated with non-stick Teflon
- Temperature regulation 150-200°C
- Timer 1 h
- LCD display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Food separator allows you to prepare two meals at the same time, high rack to prepare few layers of ingredients
- Power supply 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimension: 28.1 x 34.8 x 32.6 cm
- Weight: 4.8 kg
- EAN code: 5901750500831



AFD512



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use
- Frying basket capacity: 3.7 l
- Temperature regulation 60-220°C
- Timer: 1 h
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1300 W
- Dimension: 26.8 x 26 x 33 cm
- Weight: 3.5 kg
- EAN code: 5901750506772



AFD501



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use.
- Aluminum basket (2.5 l) and pan (4 l) coated with non-stick Teflon
- Temperature regulation 150-200 °C
- Timer 1 h
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~50/60 Hz, power: 1500 W
- Dimension: 28.1 x 34.8 x 32.6 cm
- Weight: 4.6 kg
- EAN code: 5901750500824





ELECTRIC OVENS

EOM601



Technical data:

- Capacity: 45 l
- External dimensions: 571 x 430 x 369 mm
- Internal dimensions: 421 x 353 x 303 mm
- Temperature control: 90-230 °C
- Timer: 0-60 min
- Convection and rotisserie
- Interior light
- Accessories: bake tray, rotisserie set, crumb tray, bake rack, tray handle
- Double glass door
- Cool touch body and door
- Power supply 220-240 V ~ 50/60 Hz, power: 1800 W
- Weight: 12.2 kg
- EAN code: 5901750503054



EOM501



Technical data:

- Capacity: 31 l
- External dimensions: 511 x 399 x 332 mm
- Internal dimensions: 360 x 332 x 266 mm
- Temperature control: 90-230 °C
- Timer: 0-60 min
- Convection and rotisserie
- Interior light
- Accessories: bake tray, rotisserie set, crumb tray, bake rack, tray handle
- Double glass door
- Cool touch body and door
- Power supply 220-240 V ~ 50/60 Hz, power: 1500 W
- Weight: 10.1 kg
- EAN code: 5901750502699



KITCHEN SCALES

FKS602



Technical data:

- Capacity: max 5 kg, division 1g
- Hidden display, height of digits 11.1 mm
- Touch buttons
- Indicate volume of water and milk
- Power supply: 3 x AAA battery (included)
- Dimension: 21.1 x 21.1 x 6.1 cm
- Weight: 0.525 kg
- EAN code: 5901750504884



FKS601



Technical data:

- Capacity max 5 kg, division 1 g
- Tempered glass (3 mm) weighting platform
- Blue backlit display with diameter 46 mm
- Touch button
- Indicate volume of water and milk
- Power supply 2 x AAA battery (included)
- Dimension: 23 x 16 x 2 cm
- Weight: 0.46 kg
- EAN code: 5901750502682



FKS501



Technical data:

- Capacity max 5 kg, division 1 g
- Inverted display (black background, white digits): 45.5 x 21.5 mm
- Touch buttons
- Indicate volume of water and milk
- Power supply: 2 AAA battery (included)
- Dimension: 22.5 x 19 x 7.5 cm
- Weight: 0.38 kg
- EAN code: 5901750502675



FKS401



Technical data:

- Capacity: max 10 kg, division 1 g
- Tempered glass (3 mm) weighting platform
- Washable under running water
- Touch button
- Indicate volume of water and milk
- Power supply: 3 x AAA battery (included)
- Dimension: 21 x 16 x 1.9 cm
- Weight: 0.41 kg
- EAN code: 5901750506963



FOOD DEHYDRATORS

FDD601



Technical data:

- 5 trays, total drying area: 3.250 cm²
- Tray height: 3 cm, tray size: 32 x 25 cm
- A high-power heater and forced air flow guarantee efficient drying
- Air temperature adjustment range: 35 °C-70 °C
- Timer: 0.5 – 24 hours
- Control panel with display and soft-touch buttons
- Compact size when folded
- Power supply: 220-240 V ~ 50/60 Hz, power: 420 W
- Dimensions: 27 x 32 x 24 cm
- Weight: 2.2 kg
- EAN code: 5901750505140



POPCORN MAKERS

FPC401



Technical data:

- Measuring cup to adjust the portion
- 2-4 minutes to prepare one portion of popcorn!
- Transparent lid
- Prepare popcorn without using any oil or fat
- Power supply 220-240 V~50/60 Hz, power: 1200 W
- Dimension: 19.5 x 15.5 x 28 cm
- Weight: 1.13 kg
- EAN code: 5901750500848





● **BLAUPUNKT**

UNIT

90^g

ZERO

Beauty and personal care

- Hair curlers
- Hair straighteners
- Hair dryers
- Men's shavers
- Sonic toothbrushes
- Water flossers
- Bathroom scales



Enjoy it.

HAIR CURLERS

HSC602



Technical data:

- Aluminum barrel and tongs coated with ultra smooth ceramic
- Tourmaline coating prevents electrostatic charges
- Coating with addition of Argan oil therapy
- Barrel diameter: 25 mm
- Temperature adjustment from 100°C to 220°C
- Heatproof case for easier use and storage
- Ready to use in less than one minute
- LED display
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 55 W
- EAN code: 5901750506260

HSC601



Technical data:

- Aluminum barrel and tongs coated with ultra smooth ceramic
- Tourmaline coating prevents electrostatic charges
- Coating with addition of Argan oil therapy
- Barrel diameter: 19 mm
- Temperature adjustment from 100°C to 220°C
- Heatproof case for easier use and storage
- Ready to use in less than one minute
- LED display
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 45 W
- EAN code: 5901750506253



HAIR STRAIGHTENERS

HSS601



Technical data:

- Aluminum plates coated with ultra smooth ceramic
- Tourmaline coating prevents electrostatic charges
- Coating with addition of Argan oil therapy
- Plate size: 110 x 24 mm
- Temperature adjustment from 100°C to 220°C
- Ready to use in less than one minute
- Floating plates perfectly align to the lock of hair
- LED display
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 49 W
- EAN code: 5901750505003



HAIR DRYERS

HDA601GD



Technical data:

- Professional AC motor
- Three-level airflow temperature control
- Two-level airflow rate control
- Cool shot
- Ionization
- Narrow concentrator nozzle with a width of 1 cm
- Diffuser
- Removable inlet filter
- Power supply: 220-240 V ~ 50/60 Hz, 2200 W
- EAN code: 5901750501982



HDD501BL/RO/BK



Technical data:

- Three-level airflow temperature control
- Two-level airflow strength control
- Cool shot
- Ionization
- Concentrator nozzle and diffuser included
- Removable inlet filter
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- EAN code (RO): 5901750501975
- EAN code (BL): 5901750504624
- EAN code (BK): 5901750505850



HDD401WH



Technical data:

- Three-level airflow temperature control
- Two-level airflow rate control
- Cool shot
- Ionic function for smooth hairs
- Foldable handle
- Power supply: 220-240 ~ 50/60Hz
- power: 1400-1600 W
- EAN code: 5901750504990





● **BLAUPUNKT**

HDD301BK/BL/RO



Technical data:

- Three-level airflow temperature control
- Two-level airflow rate control
- Cool shot
- Foldable handle
- Power supply: 220-240 V ~50/60 Hz
- Power: 1200 W
- EAN code (BK): 5901750505225
- EAN code (BL): 5901750501951
- EAN code (RO): 5901750501968



HAIR CLIPPERS

HCC701



Technical data:

- Cutting length adjustment in the range of 3-18 mm with interchangeable combs
- Precise cutting adjustment in the range of 1-1.9 mm
- Cord and cordless operation
- Display indicating the remaining operating time and motor load
- Shaving head made of stainless steel; blades made of durable ceramics
- Full charge after 90 minutes, operating time after full charge ~ up to 180 minutes
- Lithium batteries (no memory effect)
- Case, charging base, machine lubricating oil, comb and brush included
- Power supply: 220-240 V ~ 50/60 Hz; 0.2 A
- Weight: 0.55 kg
- EAN code: 5901750505027



HCC401



Technical data:

- Sliding comb cap
- Adjustable cutting length 3-24 mm
- Cord and cordless operation
- Ceramic blades
- 90 hours to full charge, up to 50 mins using time
- Quality NiMH batteries without memory effect
- Waterproof class: IPX4
- Oil, comb and brush in set
- Power supply: 220-240 V ~ 50/60Hz, 0.2A
- Weight: 0.44 kg
- EAN code: 5901750501845



HCS201



Technical data:

- Rechargeable
- Blade can be easily taken out and clean
- High performance DC motor
- Stainless steel blades
- 8 hours to full charge
- Up to 45 mins using time
- Quality Ni-MH batteries without memory effect
- Hair thickness adjustment caps (3 - 6 & 9 - 12 mm)
- Oil and Brush in set
- Weight: 0.18 kg
- EAN code: 5901750501494



MEN'S SHAVERS

MSR711



Technical data:

- Special double-track blades
- Hi-Precision Cut
- Patented head's thin foil technology less than 0,1mm
- 3 precise floating shaving heads (Multi-D shave)
- Waterproof IPX6
- LED display
- Cord and cordless operation
- Up to 200 minutes running time,
- 90 minutes of charging
- High quality lithium batteries without memory effect
- Quiet work with high-speed motor
- Charging via USB-C port, 5 V
- Weight: 0.42 kg
- EAN code: 5901750505539



MSR501



Technical data:

- Special double-track blades
- Double-track blades
- 3 precise floating shaving heads (Multi-D shave)
- Waterproof IPX7
- Portable charging base
- Trimmer function
- Cord and cordless operation
- Up to 60 minutes running time,
- 90 minutes of charging
- High quality lithium batteries without memory effect
- Quiet work with high-speed motor
- Power supply: 100-240 V ~50/60 Hz, 0.2 A
- Weight: 0.21 kg
- EAN code: 5901750502378



MSR401



Technical data:

- Double-track blades
- 3 precise floating shaving heads (Multi-D shave)
- ON/OFF switch with locking system
- Waterproof IPX6
- Pop-up trimmer
- Rubberized handle for better feeling
- Rechargeable (8 hours for full charge)
- Up to 1 hour running time
- High quality Ni-MH batteries without memory effect
- Power supply: 100 – 240 V~50/60 Hz, 0.2 A
- Weight: 0.19 kg
- EAN code: 5901750501500





SONIC TOOTHBRUSHES

DTS612



Technical data:

- Dynamic teeth cleaning thanks to Sonic Vibration technology and up to 48 000 cleaning movements per minute
- 4 working modes: sensitive, daily, polishing, massaging
- Two minute timer
- 30-second interval micro-timer indicating the time to advance to the next cleaning area in your mouth
- PerfoBrush M perfectly massages gums as well as removes plaque, stains and deposits
- Weariness indicator of brush head
- 2 brush heads (interchangeable, available accessory ACC047)
- Weight: 0.22 kg
- EAN code: 5901750503986



DTS601



Technical data:

- Dynamic teeth cleaning thanks to Sonic Vibration technology and up to 32 000 cleaning movements per minute
- 3 working modes: sensitive, daily, massaging
- Two minute timer
- 30-second interval micro-timer indicating the time to advance to the next cleaning area in your mouth
- PerfoBrush perfectly massages gums as well as removes plaque, stains and deposits
- 3 brush heads (interchangeable, available accessory ACC024)
- Weight: 0.29 kg
- EAN code: 5901750502149



DENTAL WATER FLOSSER

DIR501



Technical data:

- Dynamic and effective interdental cleaning
- 3 working modes: sensitive, daily, pulse
- Two minute timer
- Water pressure from 40 to 90 PSI
- Effective water pump up to 1400 pulse/minute
- 2 nozzles included (interchangeable, available accessory ACC026)
- High volume water tank (150 ml)
- Cordless
- EAN code: 5901750502156



BATHROOM SCALES

BSM711BT



Technical data:

- Capacity: max 180 kg, division 0.1 kg
- Display: 74 x 35.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Large data storage and multiple user profiles
- Power supply: 2 x AAA battery (included)
- Dimension: 31 x 30.2 x 2.2 cm
- Weight: 1.6 kg
- EAN code: 5901750504341



BSM601BT



Technical data:

- Capacity: max 180 kg, division 0.1 kg
- Display: 74 x 20.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Application supported by iOS 8.0 or Android 4.3 or later
- Platform made of 5 mm thick tempered glass
- Power supply: 3 x AAA battery (included)
- Dimension: 28 x 28 x 2.2 cm
- Weight: 1.12 kg
- EAN code: 5901750506956



BSM501



Technical data:

- Capacity: max 150 kg, division 0.1 kg
- Display: 74 x 35.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Calculate calories needed per day
- Memory for 12 profiles
- Power supply: 2 x AAA batteries (included)
- Dimension: 30.2 x 30.2 x 2.2 cm
- Weight: 1.5 kg
- EAN code: 5901750504587



BSM411



Technical data:

- Capacity: max 150 kg, division 0.1 kg
- Display: 74 x 35.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Calculate calories needed per day
- Memory for 12 profiles
- Power supply: 1 x CR2032 battery (included)
- Dimension: 30.2 x 30.2 x 2 cm
- Weight: 1.5 kg
- EAN code: 5901750504891



BSP301



Technical data:

- Capacity max 150 kg, division 0.1 kg
- Display 74 x 35.6 mm
- Auto-on/off
- Power supply 2 x AAA battery (included)
- Dimension: 30.2 x 30.2 x 2.2 cm
- Weight: 1.5 kg
- EAN code: 5901750502705




BSP201



Technical data:

- Capacity: max 150 kg, division 0.1 kg
- Hidden display, 2 cm digit height
- Auto-on/off
- Power supply: 3 x AAA battery (included)
- Dimension: 26 x 26 x 2 cm
- Weight: 0.94 kg
- EAN code: 5901750504983





● BLAUPUNKT

SET

Air at home

- Fans
- Air humidifiers
- Air dehumidifiers
- Heaters
- Fan heaters



Enjoy it.

FANS

AFT801



Technical data:

- Electronic control of the operating mode
- 3 fan speeds
- 4 modes of operation (normal, natural, night, for children)
- Oscillation function
- Fan tilt adjustment
- Delayed switch off function
- Remote control
- LED display showing operating mode and ambient temperature
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB in night mode
- Power supply 100-240 V ~ 50/60 Hz,
- power: 45 W
- Dimension: 31.1 x 31.1 x 107.7 cm
- Weight: 4.3 kg
- EAN code: 5901750504273



AFT601



Technical data:

- Electronic control of the operating mode
- 3 fan speeds
- 4 modes of operation (normal, natural, night, for children)
- Oscillation function
- Delayed shutdown function
- Remote control
- LED display showing operating mode and ambient temperature
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB in night mode
- Power supply 100-240 V ~ 50/60 Hz, power: 45 W
- Dimension: 31.5 x 31.5 x 96.0 cm
- Weight: 3.8 kg
- EAN code: 5901750504266



AVF701



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed (up to 4 m/s)
- Quiet operation, only 45 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 120 W
- Dimension: 58 x 19 x 58 cm
- Weight: 5.4 kg
- EAN code: 5901750504419



ASF701



Technical data:

- 3 fan speed settings
- 4 modes
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 55 W
- Dimension: 64 x 24.1 x 135 cm
- Weight: 3.16 kg
- EAN code: 5901750504396



ASF501



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 55 W
- Dimension: 64 x 24.1 x 135 cm
- Weight: 3.16 kg
- EAN code: 5901750504389





ATF501



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 55 W
- Dimension: 43.9 x 23.6 x 55.6 cm
- Weight: 2.01 kg
- EAN code: 5901750504372



ATF401



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 45 W
- Dimension: 36.7 x 23.3 x 49 cm
- Weight: 2.01 kg
- EAN code: 5901750504365



ATF301



Technical data:

- 2 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 30 W
- Dimension: 26.1 x 19.7 x 36.8 cm
- Weight: 1.13 kg
- EAN code: 5901750504358



ACF601



Technical data:

- 4 fan speeds
- Oscillation function in two dimensions
- Efficient and reliable full copper motor
- Very strong air flow at maximum fan speed (12 m/s), almost double than standard similar air coolers
- Additional water tank with pump for cooling boxes to reach higher cooling efficiency
- Quiet operation, only 45 dB at slowest speed
- Power supply 220-240 V ~ 50 Hz, power: 120 W
- Dimension: 38.8 x 33.6 x 81.3 cm
- Weight: 9 kg
- EAN code: 5901750504402



AIR HUMIDIFIERS

Comfortable air humidity is one of the key determinants if it comes to our health and well-being. Dry air, especially during wintertime, can cause headaches, mucosal irritation, sleeping problems, fatigue and susceptibility to infections. The best possible humidity for our health varies between 40-60%. The premium Blaupunkt humidifiers will keep the humidity in the room, up to user preferences. The device is equipped with an ionizer and has aromatherapy function. Negatively ionized air reduces the number of bacteria in the surroundings and neutralizes the harmful effects of electrical equipment on air quality. Aromatherapy perfectly goes with other types of treatments, and the user-selected fragrance will soothe the senses, improve the mood, and became a relaxing moment. Thanks to its quiet operation, the humidifiers may also work at night.

AHA501



Technical data:

- Digital control of humidifying intensity and aroma diffusing
- Aroma function with nebulizer (aroma diffuser)
- Independent control of aroma diffuser and humidifier (can work separately)
- 12 hours timer
- Max cool mist humidity effectiveness: 240 ml/h
- Demineralization cartridge
- Super quiet operation (noise less than 40 dB)
- Top-filling structure with removable water tank
- Water tank capacity: 4 l
- Durable ceramic glass glaze transducer
- Power supply 100-240 V ~ 50/60 Hz, power: 24 W
- Dimension: 23.2 x 20.5 x 30.9 cm
- Weight: 1.76 kg
- EAN code: 5901750504303




AHE801



Technical data:

- Humidification effectiveness: 800 ml/h
- Recommended to use in the rooms up to 60 m²
- Super quiet operation at low speed < 26.3 dB, quite operation at high speed < 45 dB
- Six speed levels of fan
- Remote control with Tuya APP (via internet)
- Display with humidity level indicator
- Special anti-bacteria filter cartridge
- UVC air purification
- Water tank capacity: 5 l
- Top filling up the water tank
- Power supply 220-240 V ~ 50/60 Hz, power: 24 W
- Dimension: 34.7 x 20.7 x 33.7 cm
- Weight: 4.5 kg
- EAN code: 5901750506994



AHE601



Technical data:

- Humidification effectiveness: 300 ml/h
- Recommended to use in the rooms up to 30 m²
- Super quiet operation at low speed < 38 dB, quiet operation at high speed < 45 dB
- Two speed levels of fan
- High air flow up to 75 m³/h
- Display with humidity level indicator and water level indicator
- Special anti-bacteria filter with silver ion
- Effective vaporisation surface of the filter up to 1.5 m²
- Water tank capacity: 4 l
- Top filling up the water tank
- Power supply 220-240 V ~ 50/60 Hz, power: 18 W
- Dimension: 26 x 26 x 35 cm
- Weight: 3.1 kg
- EAN code: 5901750504631



AHM701



Technical data:

- LED display with touch control panel
- Aroma function, built-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10 hours timer
- Mist humidity effectiveness: >500 ml/h
- Top-filling structure, easier refilling
- Water tank capacity: 5 l
- Night time mode
- Power supply 100-240 V ~ 50/60 Hz,
- Power: 400 W
- Dimension: 25 x 17.5 x 28 cm
- Weight: 2.97 kg
- EAN code: 5901750505171



AHS902



Technical data:

- LED display with touch control panel
- Air sterilization with UVC light
- Aroma function, build-in ionizer
- Smart home system with Tuya APP
- Adjustable humidistat from 40-80%
- 12 hours timer
- Mist humidity effectiveness up to 450 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Warm mist function with almost 80°C
- Water tank capacity: 4,5 l
- Night time mode
- Power supply 220-240 V ~ 50 Hz, power: 155 W
- Dimension: 25 x 15.5 x 28 cm
- Weight: 2.75 kg
- EAN code: 5901750506314



AHS901



Technical data:

- LED display with touch control panel
- Air sterilization with UV light
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10 hours timer
- Mist humidity effectiveness up to 500 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water purification: heating water to almost 100 °C, silver ion cartridge
- Water tank capacity: 6 l
- Night time mode
- Power supply 220-240 V ~ 50 Hz, power: 225 W
- Dimension: 25 x 24.5 x 34.3 cm
- Weight: 2.95 kg



AHS802/803



Technical data:

- LED display with touch control panel
- Air filtration with HEPA H13 filter
- Air sterilization with UV light
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10-hours timer
- Cool mist humidity effectiveness: >400 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water tank capacity: 5 l
- Night time mode
- LED backlight
- Power supply 220-240 V ~ 50/60 Hz, power: 105 W
- Dimension: 24 x 17 x 37.1 cm
- Weight: 2.3 kg
- EAN Code(AHS802): 5901750503849
- EAN Code (AHS803): 5901750503917



AHS801



Technical data:

- LED display with touch control panel
- Air filtration with HEPA H13 filter
- Air sterilization with UV light
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10 hours timer
- Cool mist humidity effectiveness: > 400 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water tank capacity: 5 l
- Night time mode
- LED backlight
- Power supply 220-240 V ~ 50/60 Hz, power: 105 W
- Dimension: 24 x 17 x 37.1 cm
- Weight: 2.3 kg
- EAN code: 5901750502125



AHS701



Technical data:

- LED display with touch control panel
- Air filtration with HEPA H13 filter
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10-hours timer
- Mist humidity effectiveness: >350 ml/h
- Warm mist function
- Demineralization cartridge
- Super quiet operation
- Top-filling structure, easier refilling
- Ceramic glass glaze transducer
- Water tank capacity: 4 l
- Night time mode
- Power supply 220-240 V ~ 50/60 Hz
- Power: 105 W
- Dimension: 22 x 22 x 39.7 cm
- Weight: 2.0 kg
- EAN code: 5901750503856



AHS601



Technical data:

- LED display with touch control panel
- Aroma function
- Build-in ionizer
- Remote control
- Adjustable humidistat from 40 – 80%
- 24 hours timer
- Cool mist humidity effectiveness: > 350 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water tank capacity: 4.5 l
- Night time mode
- Power supply 220 – 240 V ~ 50/60 Hz, power: 25 W
- Dimension: 22 x 15 x 35.7 cm
- Weight: 2.1 kg
- EAN code: 5901750501203



AHS301



Technical data:

- Aroma function
- Build-in ionizer
- Cool mist humidity effectiveness: 300 ml/h
- Demineralization cartridge
- Super quiet operation (< 35 dB)
- Ceramic glass glaze transducer
- Manual control of humidification
- Water tank capacity: 3.5 l
- Power supply 220 – 240 V ~ 50/60 Hz, power: 25 W
- Dimension: 20 x 17.3 x 28.4 cm
- Weight: 1.5 kg



AHS401



Technical data:

- LED display with touch control panel
- 3 levels of humidification efficiency
- Aroma function
- 10 hours timer
- Mist humidity effectiveness: >350 ml/h
- Demineralization cartridge
- Super quiet operation
- Top-filling structure, easier refilling
- Ceramic glass glaze transducer
- Water tank capacity: 4 l
- Night time mode
- Power supply 220-240 V ~ 50/60 Hz, power: 25 W
- Dimension: 22 x 22 x 39.7 cm
- Weight: 2.0 kg
- EAN code: 5901750506307





AIR DEHUMIDIFIERS

ADH701



Technical data:

- LED display at the top and at side of the device
- Working space 20-45 m²
- Indicator light shows the humidity level
- Dehumidifier capability: 20 l/day
- Water level detection, automatic shut-off
- Automatic defrosting function
- Air filter to air purification
- Super quiet operation, less than 47 dB
- Water tank capacity: 5.5 l
- Continuous drainage function
- Child-lock function
- Refrigerant: R290, 75 g
- Power supply: 220-240 V ~ 50 Hz, power: 420 W
- Dimension: 33 x 28 x 58 cm
- Weight: 15.6 kg
- EAN code: 5901750503351



ADH601



Technical data:

- LED display with touch control panel
- Dehumidifier capability: 16 l/day
- Remote control with Tuya App (WiFi and internet connectivity)
- Water level detection, automatic shut-off
- Automatic defrosting function
- Working space 20-40 m²
- Super quiet operation, less than 48 dB
- Water tank capacity: 2.5 l
- Continuous drainage function
- Refrigerant R290, 50 g
- Power supply 220-240 V ~ 50 Hz, power: 245 W
- Dimension: 32 x 22.5 x 49 cm
- Weight: 13 kg
- EAN code: 5901750506611



ADH501



Technical data:

- LED display with touch control panel
- Working space 15-45 m²
- Dehumidifier capability: 16 l/day
- Water level detection, automatic shut-off
- Automatic defrosting function
- Air filter to air purification
- Super quiet operation, less than 48 dB
- Water tank capacity: 3.5 l
- Continuous drainage function
- Refrigerant: R290, 55 g
- Power supply: 220-240 V ~ 50 Hz, power: 260 W
- Dimension: 29.2 x 23 x 55 cm
- Weight: 10.5 kg
- EAN code: 5901750503344



OIL-FILLED RADIATORS

HOR811



The oil-filled radiator is an ideal solution for long, autumn and winter evenings. It is perfect for rooms that require thermal insulation due to the low-efficiency heating system or leaking windows, as well as holiday homes when we decide to use the radiator in the colder season. Thanks to the installed castors and handles, the Blaupunkt HOR801 oil-filled radiator will definitely be useful in places where the cold is overwhelming. Electronic control, based on the thermostat, adjusts the operation power and stabilises the temperature according to the user's preferences. The appliance has three heating power levels and an Eco mode available.

Technical data:

- Heating area: up to 25 m²
- Digital control, adjustable temperature and power, 3 heat level settings
- LED display and remote control
- Timer function (delayed start and shut down)
- Special design combining the best features of convection heaters and oil-filled radiators: fast heating and long and stable heat accumulation
- Faster heat distribution
- Air tunnels to facilitate faster heating of the room
- Foldable wheels base without user assembly
- Tip-over switch, over-heat protection
- Power cord storage
- Power supply: 220-240 V ~ 50/60 Hz, power: 2500 W
- Dimensions: 57.5 x 27 x 67.3 cm
- Weight: 15.8 kg
- EAN code: 5901750506024



HOR501



Technical data:

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Heating area: up to 22 m² • 3 heat level settings • Adjustable thermostat control • 3 oil channels for faster heat distribution • Tipover switch | <ul style="list-style-type: none"> • Wheels for easier moveability and handles for easier carrying • Overheat Protection • Indicator light • Power cord storage | <ul style="list-style-type: none"> • Power supply: 220-240 V ~ 50 Hz, power: 2500 W • Dimensions: 48.5 x 25 x 60 cm • Weight: 8.3 kg • EAN code: 5901750504686 |
|---|---|--|



HOR401



Technical data:

- Heating area: up to 18 m²
- 3 heat level settings
- Adjustable thermostat control
- 3 oil channels for faster heat distribution
- Wheels for easier moveability and handles for easier carrying
- Tipover switch
- Overheat Protection
- Indicator light
- Power cord storage
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 41 x 25 x 60 cm
- Weight: 6.9 kg
- EAN code: 5901750504679



HOR301



Technical data:

- Heating area: up to 14 m²
- 3 heat level settings
- Adjustable thermostat control
- 3 oil channels for faster heat distribution
- Wheels for easier moveability and handles for easier carrying
- Tipover switch
- Overheat Protection
- Indicator light
- Power cord storage
- Power supply: 220-240 V ~ 50 Hz, power: 1500 W
- Dimensions: 33.5 x 25 x 60 cm
- Weight: 5.8 kg
- EAN code: 5901750504662



HOR201



Technical data:

- Heating area: up to 10 m²
- 1 heat level setting (700 W)
- Adjustable thermostat control
- 3 oil channels for faster heat distribution
- Overheat Protection
- Indicator light
- Power supply: 220-240 V ~ 50 Hz, power: 700 W
- Dimensions: 32 x 13 x 37.5 cm
- Weight: 3.3 kg
- EAN code: 5901750505676
- This product is only suitable for well-insulated spaces or occasional use



CONVECTION HEATER

HCO701



Technical data:

- Heating area: up to 22 m²
- Digital control, adjustable temperature and power, 3 heat level settings
- LED display
- Remote control
- Timer function (delayed start and shut down)
- Special design with additional side plates to better accumulate heat and ensure more uniform heating of the room
- Air tunnels to facilitate faster heating of the room
- Stable feet
- Tip-over switch, over-heat protection
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 64.2 x 20.5 x 58.7 cm
- Weight: 8.9 kg
- EAN code: 5901750504709



HCO501



Technical data:

- Heating area: up to 22 m²
- Three heating levels (750, 1250, 2000 W)
- Turbo function (fan for faster heat distribution)
- Compact size
- Temperature control with thermostat knob
- Protection against overheating
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 57.5 x 20 x 41.8 cm
- Weight: 3.1 kg
- EAN code: 5901750505812



HCO301



Technical data:

- Heating area: up to 22 m²
- Three heating levels (750, 1250, 2000 W)
- Compact size
- Temperature control with thermostat knob
- Protection against overheating
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 57.5 x 20 x 41.8 cm
- Weight: 2.8 kg
- EAN code: 5901750505805



FAN HEATERS

FHD601



Technical data:

- Heating aArea: up to 25 m²
- 3 levels of heating intensity, LED Display
- Heat retention above freezing temperature
- Electronic thermostat for the easy setting of the desired temperature
- Timer for switching the device on or off, with a time delay
- Durable, energy-efficient, ceramic heating element
- Oscillation function
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 17 x 43.3 x 15.5 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 3 kg
- EAN code: 5901750505638



FHD501



Technical data:

- Heating Area: Up To 22 m²
- 3 levels of heating intensity, LED Display
- Heat retention above freezing temperature
- Electronic thermostat for the easy setting of the desired temperature
- Timer for switching the device on or off, with a time delay
- Durable, energy-efficient, ceramic heating element
- Oscillation function
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, 1800 W
- Dimensions: 15.9 x 25.4 x 14.5 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.6 kg
- EAN code: 5901750501593



FHD401



Technical data:

- Heating Area: up to 22 m²
- 3 levels of heating intensity, LED Display
- Electronic thermostat for the easy setting of the desired temperature
- Timer for switching the device on or off, with a time delay
- Durable, energy-efficient, ceramic heating element
- Remote controller
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 18.7 x 16.7 x 17.1 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.5 kg
- EAN code: 5901750505768



FHM601



Technical data:

- Heating Area: up to 22 m²
- 3 operating modes: fan, heater 1000/2000 W
- Adjustable thermostat control
- Durable, energy-efficient, ceramic heating element
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 18.7 x 16.7 x 17.1 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.5 kg
- EAN code: 5901750505775



FHM501



Technical data:

- Heating Area: up to 18 m²
- 3 operating modes: fan, heater 1000/1500 W
- Adjustable thermostat control
- Durable, energy-efficient, ceramic heating element
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimensions: 17.6 x 18 x 21.0 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.1 kg
- EAN code: 5901750506802



FHM301



Technical data:

- Heating area: up to 15 m²
- 3 Functional Settings: Fan, Heat 1000/2000 W
- Adjustable thermostat control
- Heating element made of durable FeCrAl alloy
- Overheat Protection
- May work in vertical or horizontal position
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 22.3 x 12 x 22.6 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1 kg
- EAN code: 5901750504655



Ironing

- Portable garment steamers
- Stram stations
- Irons
- Lint remover



Enjoy it.

PORTABLE GARMENT STEAMERS

VSI601



Technical data:

- Steam rate up to 30 g/min
- Steam rate regulation (higher, lower)
- Power cord length: 2.5 m
- Short pre-heating time: less than 1 min
- Function: anti-calc, anti-drip, auto shut-off
- Stainless steel panel
- Accessories: travel bag, standard water bottle adapter, upholstery brush, condense drops preventing attachment
- Removable water tank 260 ml
- Power supply 220-240 V~50/60 Hz, power: 1400-1600 W
- Dimension: 20.4 x 11.8 x 21.1cm
- Weight: 0.9 kg
- EAN code: 5901750502002



STEAM STATION

SSP701



Technical data:

- High power: 3200 W
- Steam rate: max 135 g/min
- Steam pressure: 5.5 bar
- Digital control panel
- Ceramic soleplate of iron
- Automatic adjustment of soleplate's temperature
- Variable steam control (2 steam rate levels)
- Overheat protection, indicator lights
- 1.5 l water tank easy to refill during ironing
- Auto shut-off
- Power supply: 230-240 V ~ 50/60 Hz, power: 2800-3200 W
- Dimension: 32.3 x 19.4 x 23.3 cm
- Weight: 3 kg
- EAN code: 5901750503559





STEAM IRONS

HSI801



Technical data:

- Steam rate: up to 45 g/min
- Steam burst: up to 140 g/min
- Ceramic soleplate
- Power cord length: 3 m.
- Automatic shut-off
- Function: anti-calc, anti-drip, self-clean
- Soleplate size: 23.7 x 13 cm
- Water tank: 380 ml
- Power supply: 230 V ~ 50/60 Hz, power: 3000 W
- Dimension: 31.5 x 13.7 x 15.7 cm
- Weight: 1.5 kg
- EAN code: 5901750504754



HSI511



Technical data:

- Steam rate: up to 40 g/min
- Steam burst: up to 140 g/min
- Ceramic soleplate
- Power cord length: 1.9 m
- Function: anti-calc, anti-drip, self-clean
- Soleplate size: 23 x 11.8 cm
- Water tank: 300 ml
- Power supply: 220-240 V ~ 50/60 Hz, power: 2600 W
- Dimension: 28.8 x 12.1 x 13.7 cm
- Weight: 1.48 kg
- EAN code: 5901750505454



HSI201BL



Technical data:

- Steam rate: up to 25 g/min
- Steam burst: up to 80 g/min
- Non-stick coated soleplate
- Power cord length: 1.9 m.
- Function: anti-calc, anti-drip, self-clean
- Soleplate size: 20.6 x 11.3 cm
- Water tank: 200 ml
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 1830-2170 W
- Dimension: 26.5 x 12 x 14 cm
- Weight: 0.88 kg
- EAN code: 5901750503535



LINT REMOVER

RLR301




Technical data:

- Rechargeable
- Working time up to 45 min, fully charged after 8 hours
- USB charging
- Ergonomic handle
- High quality NiMH batteries
- Diameter of blades 4.2 cm
- Power supply: 5 V, 0.2 A
- Weight: 0.15 kg
- EAN code: 5901750502361



Vacuuming

- Upright vacuum cleaners
- Vacuum cleaners
- Hand-held vacuum cleaners
- Robot vacuum cleaners
- Steam mop



Enjoy it.

UPRIGHT VACUUM CLEANERS

VCH602BL



Technical data:

- Powerful 22.2 V electric motor, 135 W
- Two speed settings
- Long-lasting lithium battery, up to 30 minutes working time
- Electric power brush makes collecting dust easy
- Power brush with LED lights
- 0.7 l dust container
- Cyclone separation system
- Triple air filtration
- Lightweight design, only 2.4 kg
- Accessories: floor electric brush, universal 2in1 nozzle, long crevice tool and aluminium tube
- Power supply: 220-240 V ~ 50/60 Hz 0.3 A
- Unit size: 70 x 24 x 12 cm
- Weight: 2.6 kg
- EAN code: 5901750503825



VCH601



Technical data:

- Powerful 22.2 V electric motor
- Long-lasting lithium battery, up to 45 minutes working time
- Electric power brush makes collecting dust easy
- Power brush with LED lights
- 0.6 l dust container
- Cyclone separation system
- Triple air filtration
- Lightweight design, only 2.2 kg
- Charging time: 5 hours
- Accessories: floor electric brush, universal 2in1 nozzle and alluminium tube
- Power supply 220-240 V ~ 50/60 Hz, 0.3 A
- Unit size: 70 x 24 x 12 cm
- Weight: 2.4 kg
- EAN code: 5901750502781



VCH201



Technical data:

- Powerful motor, max 800 W
- Capacity 1.5 l
- Cord length 4.8 m
- Foldable handle
- Accessories: floor brush, crevice tool, small brush nozzle
- Power supply: 220-240 V ~ 50/60 Hz
- Unit size: 24 x 14 x 110 cm
- Weight: 2.6 kg
- EAN code: 5901750505492





VACUUM CLEANERS

VCC701



Technical data:

- Dust container capacity: 2 l
- Power cord rewind, cord length 5 m
- Suction power regulation in the hose
- Filter HEPA H13
- Overheat protection
- Vertical and horizontal parking
- Noise below 73 dB
- Accessories: Multi-purpose brush nozzle, crevice tool, small brush nozzle and metal telescopic tube
- Power supply: 220-240 V ~ 50 Hz, power: 800 W
- Unit size: 38.3 x 28.5 x 27.5 cm
- Weight: 5.1 kg
- EAN code: 5901750503993



VCC301



Technical data:

- Dust container capacity: 1.2 l
- Power cord rewind, cord length 5 m
- Suction power regulation in the hose
- Filter HEPA H13
- Overheat protection
- Vertical and horizontal parking
- DpuHF A, DpuC D,
- Reemission: A
- Noise below 77 dB
- Accessories: Multi-purpose brush nozzle, crevice tool, and metal telescopic tube
- Power supply 220-240 V ~ 50 Hz, power: 700 W
- Unit size: 34.2 x 25.2 x 22.2 cm
- Weight: 4.6 kg
- EAN code: 5901750501739



VCB701



Technical data:

- Dust bag capacity: 3.5 l
- Power cord rewind, cord length 5 m
- Suction power regulation
- Soft wheels
- Filter HEPA H13
- Overheat protection
- Vertical and horizontal parking
- Noise below 72 dB
- Accessories: Multi-purpose brush nozzle, upholstery nozzle, 2-in-1 crevice tool, turbo brush nozzle, hard floor nozzle and metal telescopic tube
- Power supply 220-240 V ~ 50 Hz, power: 700 W
- Unit size: 44 x 30.5 x 24 cm
- Weight: 7 kg
- EAN code: 5901750501838



VCB301



Technical data:

- Dust bag capacity: 2 l
- Power cord rewind, cord length 5 m
- Suction regulation in the hose
- Soft wheels
- Overheat protection
- Vertical and horizontal parking
- Noise below 78 dB
- Accessories: Multi-purpose brush nozzle, crevice tool, small brush nozzle and metal telescopic tube
- Power supply: 220-240 V ~ 50 Hz, power: 700 W
- Unit size: 33.7 x 21 x 26.4 cm
- Weight: 4.1 kg
- EAN code: 5901750503702



VCB201



Technical data:

- Dust bag compartment capacity: 2 l
- Power cord rewind, cord length 4.8 m
- Suction regulation in the hose
- Soft PVC wheels
- Overheat protection
- Vertical and horizontal parking
- Noise below 80 dB
- Accessories: Multi-purpose brush nozzle, 2in1 crevice tool and metal telescopic tube, 2 dust bags in package
- Power supply 220-240 V ~ 50 Hz, power: 700 W
- Dimension: 34.3 x 24 x 20 cm
- Weight: 3.9 kg
- EAN code: 5901750502224



VCI201



Technical data:

- Dust container capacity: 10 l
- Washable HEPA filter
- May use paper bags
- Power cord length 6 m
- Suction regulation in the hose
- Rotary wheels for better moveability
- Overheat protection
- Max airflow: 1.6 m³/min
- Max underpressure : 18 kPa
- Noise below 80 dB
- Blow function
- Accessories: Multi-purpose brush nozzle, Wet&dry brush nozzle, crevice tool 2 in 1 and 3 x metal tubes
- Power supply 220-240 V~ 50/60 Hz, power: 1200 W
- Dimension: 32.1 x 34.6 x 35 cm
- Weight: 5.2 kg
- EAN code: 5901750504440



VCW401



Technical data:

- Dust container capacity: 20 l
- Water filtration or dust bags
- Dust bag capacity 5 l
- Power cord length 5 m
- Rotary wheels for better moveability
- Max airflow: 1.8 m³/min (30 l/s)
- Max underpressure: 20 kPa
- Noise below 80 dB
- Blow function
- Accessories: Universal floor brush nozzle, crevice tool, upholstery brush, reinforced hose and telescopic tube
- Power supply 220-240 V~ 50/60 Hz, rated power: 1500 W, max power 2200 W
- Dimension: 37 x 33.2 x 53.7 cm
- Weight: 5.8 kg
- EAN code: 5901750500930





HAND-HELD VACUUM CLEANER

VCP801



Technical data:

- Portable and lightweight
- Stand with charging base
- Efficient BLDC motor 14.8 V
- Motor power: 150 W
- Max vacuuming pressure: 14 kPa
- Two speeds
- Working time up to 20 min, charging time 2.5 hours
- Silent operation, below 60 dB
- HEPA filter
- Capacity 0.3 l
- Set include: main unit, charging base, crevice tool 2 in 1, tube, floor brush
- Dimension: 42.5 x 7.5 x 7.5 cm
- Weight: 1.29 kg
- EAN code: 5901750504280



VCP501



Technical data:

- Portable and lightweight
- Stand with charging base
- Efficient BLDC motor 11.1 V
- Motor power: 120 W
- Max vacuuming pressure: 12 kPa
- Two speeds
- Working time up to 20 min, charging time 3 hours
- Silent operation, below 60 dB
- HEPA filter
- Capacity 0.3 l
- Dimension: 42.5 x 7.5 x 7.5 cm
- Weight: 1.05 kg
- EAN code: 5901750504839



VCP301



Technical data:

- Rechargeable
- Working time up to 45 min, fully charged after 8 hours
- USB charging
- Ergonomic handle
- High quality NiMH batteries
- Diameter of blades 4.2 cm
- Power supply: 5 V, 0.2 A
- Weight: 0.15 kg
- EAN code: 5901750502361




ROBOT VACUUM CLEANERS

RVC701



Technical data:

- Great navigation with gyro mapping, generate map of the floor, automatically return to charging base
- Controlled by a remote control or App in the phone (iOS and Android compatible)
- Powerful and reliable brushless suction motor, very high suction power 1.2 kPa and silent operation less than 60 dB
- Two sweeping side brushes and long central power brush 17 cm, triple air filtration with HEPA filter
- Electronic control of mopping function. Pump adjust water flow
- For different types of floor: wooden, laminate, ceramic, linoleum, and low-pile carpets
- Compact size, low profile, only 7.5 cm
- LCD display with touch control panel
- Large dust container: 0.5 l and dust container 0.25 l with water tank 0.2 l
- Capacious and efficient lithium battery 2150 mAh, operation time – up to 100 minutes
- In set: charging base, adaptor, spare filter, 2 cloth pads for mopping, spare side brushes, 1 m stripe of virtual wall
- Power supply: 100-240 V ~ 50/60Hz, max. 600 mA
- Weight: 3.55 kg
- EAN: 5901750503757





RVC201



Technical data:

- For different types of floor: wooden, laminate, ceramic, linoleum, and low-pile carpets
- 3 operating modes: random, spiral, along the wall
- Compact size, low profile, only 7.5 cm
- Large dust container – 0.5 l
- Two sweeping brushes
- Powerful suction motor, 10 W suction power
- Operation time – up to 55 minutes
- Power supply: 100-240 V ~ 50/60 Hz, max. 400 mA
- Weight: 1.7 kg
- EAN: 5901750503740



STEAM MOP

STM601




Technical data:

- Cleans with hot steam without cleaning agents
- High efficiency, up to 35 g/min of steam
- Two steam generation intensity levels
- Water tank capacity: 360 ml
- Power cord length: 3 m
- Easy to use, one-button operation
- Protection against work without water
- Components: Floor head, two mop pads, extension tube, extension hose, nylon brush nozzle, nozzle with pad, long crevice nozzle, window cleaning attachment with a squeegee, ironing attachment, measuring cup.
- Power supply: 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimension: 113.4 x 24.5 x 18 cm
- Weight: 2.5 kg
- EAN code: 5901750505782







Enjoy it.

Blaupunkt Competence Center, 2N-Everpol Sp. z o.o.
Puławska 403A, 02-801 Warsaw, Poland
tel. +48 22 688 08 00
e-mail: info@everpol.pl, www.blaupunkt.com

All rights reserved. All brand names are registered trademarks of their respective owners. Specifications are subject to change without prior notice.



https://blaupunkt.com/c_ee/appliances-c_ee/home/