

● **BLAUPUNKT**

**100** years  
brand est. 1924



***Enjoy it.***

Power and Garden Tools  
Catalogue 2024/2025



Brand history

4



Cordless Power Tools

6



Corded Power Tools

20



Cordless Garden Tools

32



Corded Garden Tools

40



Hand Tools

50



# Brand history

- 1924** – A company named “Ideal” was first founded in Berlin when radio was still in its infancy. Every unit was carefully tested by technicians and labeled with a seal for quality — the blue dot. It did not take long before customers simply asked for the “bluepoint” products. The blue dot quickly became known as a symbol of outstanding quality.
- 1932** – The first car radio in the world was launched by Blaupunkt.
- 1938** – The dot became a trademark as well as the new company name: Blaupunkt.
- 1959** – The year 1959 saw the delivery of the one millionth car radio.
- 1971** – Ten million Blaupunkt car radios.
- 1974** – First car radio with traffic information receiver.
- 1979** – 25 million Blaupunkt car radios.
- 1982** – Prototype of first route guidance system.
- 1989** – World’s first mass production ready traffic navigation system.
- 1999** – Production of 100 million Blaupunkt car radios.
- 2002** – First web-linked navigation system.
- 2007** – 75 years car radio.
- 2010** – Blaupunkt TV and Multiband Receivers became the first licensed product categories of the Blaupunkt Global Brand Community.
- 2012** – The product range of Blaupunkt was expanded to include additional product categories such as tablet computers, mobile navigation, audio and video and air conditioning.
- 2015** – Blaupunkt have been awarded as the “Brand of the century – German brand standards”.
- 2016** – The product range of Blaupunkt was expanded to include additional product categories such as small household appliance.
- Today** – The Blaupunkt Global Brand Community is a growing community of independent brand partners covering almost every category of the consumer lifestyle all over the world.

***Enjoy it.***



# Cordless Power Tools

- Screwdriver
- Cordless drills
- Rotary hammers
- Angle grinder
- Orbital sanders
- Jigsaw
- Reciprocating saw
- Circular saw
- Batteries
- Fast chargers
- Vacuum cleaner
- Jobsite radio



***Enjoy it.***

# SCREWDRIVER

## CD2010



The CD2010 cordless screwdriver from BLAUPUNKT is the perfect tool for hobby and professional use. It will work well in any home or garage, as well as in a professional workshop. The unit is equipped with a powerful 4-volt motor that provides a maximum torque of up to 5 Nm and a speed of up to 320 rpm. The 7+1 adjustable clutch allows the correct torque to be adjusted to prevent damage to the screws. The CD2010 also allows small holes to be drilled, making the unit multifunctional. A built-in LED light illuminates the work area and improves visibility.

The 2000 mAh lithium-ion battery will ensure long-lasting and uninterrupted operation. With a charger equipped with a USB-C connector, you can easily charge your device in 60 minutes. The ergonomic shape and compact housing, together with rubberised components, increase comfort and safety at work.

---

#### Technical data:

- Voltage: 4 V
- No-load speed: 0-320 rpm
- Maximum torque: 5 Nm
- Adjustable torque settings: 7+1
- Battery capacity: 2000 mAh
- Handle type: 1/4" hexagonal
- Charging port: USB Type C
- Left, right rotation function
- LED work light
- Auto stop function
- Accessories: bits 26 pcs, plastic case, charger
- Charging time: 60 minutes
- Dimensions: 20.3 x 3.8 x 3.6 cm
- Weight: 0.72 kg
- EAN code: 5901750506703



# CORDLESS DRILL 12 V

## CD3010



BLAUPUNKT CD3010 12V cordless drill driver is the right tool for every workshop and home. A high torque of up to 30 Nm provides the necessary power reserve during work. Its double sleeve chuck allows the drill bits to be changed quickly and without tools. This small and compact device can drill holes up to 20 mm in wood and up to 8 mm in metal. The 1500 mAh Li-ion battery provides stable and long-lasting operation on a single charge, and the fast charger will fully charge your device in just one hour. A battery charge indicator is also available to keep us informed of the battery's state of charge.

---

#### Technical data:

- No-load speed: 0–350/0–1300 rpm
- Clutch adjustment 17+1
- 2 gears
- Maximum drilling diameter: wood – 20 mm, metal – 8 mm
- Directions of rotation right/left
- Adjustable speed
- Battery charge indicator
- Includes: charger, 1500 mAh lithium-ion battery, drill bits 6 pcs, bits 6 pcs, extension chuck, carrying case
- Lithium-ion battery: max. 12 V/1.5 Ah
- Dimensions: 19.1 x 5.5 x 19.5 mm
- Weight: 1 kg
- EAN code: 5901750505553







# OneDNA 18V

## FREEDOM OF MOTION, POWER IN ACTION!

Welcome to Blaupunkt's world of innovation where performance meets convenience. The OneDNA 18V battery system is precisely designed to handle a wide range of tools. No matter where you are working, it delivers a consistent and reliable power supply. Thanks to the advanced technology of our batteries, we ensure constant power and performance for a long time. Our batteries are equipped with intelligent energy management systems, adapting performance to the specifics of the tool. That means you always get optimum performance, no matter what type of work you do. Forget the trouble of changing between different battery platforms. Our single-battery system for multiple tools provides outstanding operating convenience, avoiding wasted time. Our solution is the choice of those practice users who value reliability, performance, and innovation. Join the elite who choose future-oriented technology - join us and experience the powerful Blaupunkt OneDNA 18V tool partnership.



### VELOCITY MATTERS!

Discover a new dimension of efficiency with Blaupunkt OneDNA fast chargers! With advanced charging technology, our chargers allow you to get back to work quickly, avoiding the interruptions caused by waiting for batteries to charge. For those who work with two batteries, our dual charger is the perfect solution. Charge both batteries simultaneously, saving valuable time. Let your power tools run smoothly and without downtime. We reduce charging times, allowing you to concentrate on your projects. Choose speed, choose reliability, choose Blaupunkt OneDNA!



### POWER AT YOUR FINGERTIPS!

Take full control of your tools' energy with easy-to-read battery indicators! Monitoring of battery status becomes extremely easy and efficient. Our charge indicators offer precise information on the remaining power, enabling you to plan your work without unexpected interruptions. With these intelligent indicators, you will always know when to recharge your battery. Benefit from advanced technologies that enable you to consciously manage your energy and keep your power tools running at peak performance. Discover the advantages of precise energy monitoring with our Blaupunkt OneDNA battery charge indicators!



**ONE BATTERY**

**ONE CHARGER**

## DyNAmic development, one platform!

The BLAUPUNKT OneDNA 18V system includes a wide range of innovative products that provide the flexibility to choose the right tool for any work you do. We are constantly working on development so that our product range is dynamically evolving and expanding with other unique products tailored to your needs. That provides a complete and comprehensive range of tools based on a single BLAUPUNKT OneDNA 18V battery platform. It also means more convenience for you! We also know the work doesn't stop in the workshop, so we've added a full range of garden tools powered by the same BLAUPUNKT OneDNA 18V battery! The range covers the essential tools you need for the home, workshop, or garden so you can overcome all the challenges in your daily life.



# CORDLESS DRILL 18 V

## CD7010



The cordless drill/driver is a reliable tool with a wide range of applications. Its design and features make it an excellent choice for DIY enthusiasts and professionals alike.

The BLAUPUNKT CD7010 cordless drill/driver offers a maximum torque of 40 Nm, which provides enough power to easily drill and drive in a variety of materials, both soft and harder.

A 19+1 clutch and 2 speeds (0-450 and 0-1600 rpm) allow for more precise torque or speed adjustment, depending on requirements, helping to avoid driving the screw too deep, breaking off the screw head or even breaking the screw. The ability to change the rotation direction(left/right) is useful for driving and extracting screws, as well as for removing the drill bit from the material.



### Technical data:

- Voltage: 18 V
- Maximum torque: 40 Nm
- No-load speed:
  - gear 1: 0-450 rpm
  - gear 2: 0-1600 rpm
- Max. drilling diameter: wood: 10 mm, concrete: 20 mm, steel: 8 mm
- Selectable torque setting: 19 + 1

- Metal chuck: 13 mm, quick release
- Left / right rotation
- LED light
- Battery type: 18 V, lithium-ion
- BP1820 2.0 Ah (2 pcs. included)
- BP1840 4.0 Ah (not included)
- 2.4 A fast charging
- INCLUDES:
  - Rechargeable battery 2 x 2.0 Ah

- Fast charger: 2.4 A
- Case
- 12 pieces of accessories
- 1 x extension 45 mm
- 1 x belt clip
- Dimensions: 21 x 21 x 9 cm
- Weight: 1.2 kg
- EAN code: 5901750506628

# ROTARY HAMMERS 18V

## CH3010



### Technical data:

- Voltage: 18 V
- Chuck type: SDS+
- Drilling capacity: steel: 10 mm, concrete: 20 mm, wood: 20 mm
- Impact power / rate: 1.5 J / 5000 bpm
- No load speed: 0-300/0-1000 rpm
- Motor type: brushed DC
- Battery type: 18 V Li-Ion, 4.0 Ah or 5 Ah recommended (not included)
- Dimensions: 34 x 21 x 18 cm
- Weight: 1.3 kg
- INCLUDES:
  - Rotary hammer
  - Auxiliary handle
  - Depth ruler
- Code EAN: 5901750507571



## CH6010



### Technical data:

- Voltage: 18 V
- Chuck type: SDS+
- Hammer power: 2.8 J
- Drilling capacity: steel: 10 mm, concrete: 16 mm, wood: 25 mm
- Impact power / rate: 1.5 J / 4600 bpm
- No load speed: 0-1150 rpm
- Motor type: brushless DC
- Battery type: 18 V Li-Ion, 4.0 Ah or 5 Ah recommended (not included)
- Dimensions: 33.9 x 9 x 22.5 cm
- Weight: 6.1 kg
- INCLUDES:
  - Rotary hammer
  - Auxiliary handle
  - Depth ruler
  - 3 drills (SDS+)
  - Toolbox
- Code EAN: 5901750507588



# ANGLE GRINDER 18 V

## CG5010



### Technical data:

- Voltage: 18 V
- Maximum disc diameter:  $\varnothing$  125 mm
- Spindle thread: M14
- No-load speed: 8000 rpm
- Soft start
- Battery type: 18 V Li-Ion, 4.0 Ah recommended (not included)
- INCLUDES:
  - 1 x auxiliary handle
  - 1 x key
- 1 x grinding disc
- Dimensions: 34.5 x 14 x 10 cm
- Weight: 1.3 kg
- EAN code: 5901750506635

# ORBITAL SANDERS 18 V

## CO4010



### Technical data:

- Voltage: 18 V
- Ergonomic handle
- Pad size:  $\varnothing$ 125 mm
- Pad type: Hook&Loop (velcro)
- Battery type: 18 V Li-Ion, 2.0 Ah or 4 Ah recommended (not included)
- Dimensions: 30 x 13 x 15.5 cm
- Weight: 2.1 kg
- INCLUDES:
  - Random orbital sander
  - Dust bag
  - Vacuum adapter
  - 3 sand papers
- Code EAN: 5901750507601

## CO2010



### Technical data:

- Voltage: 18 V
- Ergonomic handle
- Pad size: delta shape 140 x 100 mm
- Pad type: Hook&Loop (velcro)
- Battery type: 18 V Li-Ion, 2.0 Ah or 4 Ah recommended (not included)
- Dimensions: 22 x 7 x 15 cm
- Weight: 1.1 kg
- INCLUDES:
  - Detail sander
  - Dust box
  - 3 sand papers
- Code EAN: 5901750507595

# RECIPROCATING SAW 18 V

## CR7010



2200 rpm



SDS



28 mm



### Technical data:

- Voltage: 18 V
- No-load speed: 0-3000 rpm
- Stroke length: 22 mm
- SDS blade replacement system
- Max. cut: wood 100 mm
- Undercutting adjustment 0 – 1
- Adjustable foot
- Battery type: 18 V Li-Ion, 4.0 Ah recommended (not included)
- INCLUDES:
  - 1 x wood blade, - 1 x metal blade
- Weight: 1.9 kg
- Dimensions: 46 x 7.5 x 15 cm
- EAN code: 5901750506659

# CIRCULAR SAW 18 V

## CC5010



Ø 165 mm



0° - 50°



90° - 50 mm



3650 rpm

### Technical data:

- Voltage: 18 V
- Maximum disc diameter: 165 mm
- No-load speed: 3650 rpm
- Maximum bevel cutting angle: 50°
- Max. depth of cut: 90°-50 mm, 45°-35 mm
- LED light
- Steel base
- Rechargeable battery: 18 V Li-Ion, 2.0 Ah (not included), 4.0 Ah recommended (not included)
- INCLUDES:
  - 1 x hex key, - 1 x guide
- Dimensions: 32 x 19 x 23.5 cm
- Weight: 2.2 kg
- EAN code: 5901750506666





# JIGSAW 18 V

## CJ5010



### Technical data:

- Voltage: 18 V
- No-load speed: 0-2700 rpm
- Stroke length: 20 mm
- Diagonal cutting: from 0° to 45°
- Tool-less SDS blade changing system
- Pendulum action setting 0-3
- Dust extraction
- Steel base
- LED work light
- Battery type: 18 V Li-Ion, 4.0 Ah recommended (not included)
- INCLUDES:
  - 1 x wood blade
  - 1 x metal blade
  - 1 x vacuum cleaner adapter
  - 1 x guide
- Dimensions: 23 x 7.5 x 20.5 cm
- Weight: 1.2 kg
- EAN code: 5901750506642





# BATTERIES 18 V

OneDNA 18V 

The OneDNA battery series for Blaupunkt power tools – a reliable source of energy for all your projects! OneDNA is a full range of power tools and garden tools based on a single power supply system. With the launch of the OneDNA range of cordless tools, the BLAUPUNKT brand also introduced three models of modern, interchangeable 18V lithium-ion batteries. Model BP1850 with 5.0 Ah capacity. One battery for all home and garden tools. This innovative solution allows all tasks to be carried out while saving time and money.

Both models are equipped with easy-to-read charge status indicators. This facilitates planning work and helps avoid ending up with discharged battery during activities.

## BP1850



### Technical data:

- Voltage: 18 V
- Capacity 5 Ah
- Dimensions: 12 x 8 x 7 cm
- Weight: 0.63 kg
- EAN code: 5901750507380



## BP1840



### Technical data:

- Voltage: 18 V
- Capacity 4 Ah
- Dimensions: 12 x 8 x 7 cm
- Weight: 0.44 kg
- EAN code: 5901750506727



## BP1820



### Technical data:

- Voltage: 18 V
- Capacity 2 Ah
- Dimensions: 8 x 12 x 5.5 cm
- Weight: 0.31 kg
- EAN code: 5901750506710



## BP1835



### Technical data:

- Voltage: 18 V
- 2 x 3,5 A
- Charging time of 2 Ah battery - 45 min
- Charging time of the 4 Ah battery - 90 min
- Dimensions: 21 x 13,5 x 6,5 cm
- Weight: 0.8 kg
- EAN code: 5901750507366



## BP1824



### Technical data:

- Voltage: 18 V
- 2.4 A
- Charging time of 2 Ah battery – 60 min
- Charging time of the 4 Ah battery – 120 min
- Dimensions: 9.5 x 13 x 6.6 cm
- Weight: 0.25 kg
- EAN code: 5901750506734



# VACUUM CLEANER 18 V

## VC6010



### Technical data:

- Very powerful brushless motor
- Two speeds providing a vacuuming suction of 9 and 16 kPa
- Electric brush that facilitates the collection of dirt
- Dust container 0.5 l
- Cyclone separation system
- Triple air filtration
- Light construction, weight only 2.4 kg
- Rechargeable battery: 18 V Li-Ion, 2.0 Ah (not included), 4.0 Ah recommended
- INCLUDES:
  - Vacuum cleaner
  - Battery 4 Ah Blaupunkt BP1840,
  - Battery charger 2.4 A Blaupunkt BP1824, aluminum tube, crevice nozzle, crevice nozzle with a movable brush, turbo brush with LED lighting, wall mount
  - User Manual
  - Warranty card
- Dimensions: 118 x 23.5 x 20.5 cm
- Weight: 3 kg
- EAN code: 5901750507335



# JOBSITE RADIO

## PP30BT JOBSITE



### Technical data:

- Audiostreaming via Bluetooth (A2DP profile)
- FM Radio with 20 station memory preset
- AUX IN
- Rod antenna
- LCD display with backlight
- Output power: 1 x 5 Watt RMS
- Battery power: rechargeable battery 7.2 V (2200 mAh)
- Power supply: 230 V ~50 Hz
- Battery operation: 7-10 hours (depends on the volume level)
- Dimensions: 198 (w.) x 280 (h.) x 194 (d.) mm
- Weight: 2.37 kg
- EAN code: 5901750506338



# Corded Power Tools

- Impact drill
- Rotary hammer
- Random orbit sanders
- Angle grinder
- Car polisher
- Jigsaw
- Reciprocating saw
- Heat guns
- Hot glue guns
- Electric mixers
- Electric heaters



***Enjoy it.***

# IMPACT DRILL

## ID8010



900W



13mm



### Technical data:

- Voltage: 230-240 V ~ 50 Hz
- Rated power: 710 W
- Max power: 900 W
- No-load speed: 0 – 3 000 rpm
- Impact rate: 48000
- Max drilling capacity: wood 25 mm, concrete 13 mm, steel 10 mm
- Power cord length: 1.8 m.
- Dimensions: 29 x 7 x 19.8 cm
- Weight: 1.7 kg

- INCLUDES:
  - 4 drills in set (4, 5, 6, 8 mm)
  - Chuck key
  - Drill depth stop
  - Auxiliary handle
  - BMC Case
- Code EAN: 5901750506376



# ROTARY HAMMER

## RH3010



The RH3010 impact hammer by BLAUPUNKT is indispensable for smaller construction work. Its maximum power of 1,200W makes it ideal for drilling and forging work in concrete.

The RH3010 performs 0 – 5300 strokes per minute, making it very efficient to work with. The speed from 0 to 1,200 RPM and the impact force of 2.8 J ensure that we can use the impact hammer when working with different materials. The unit has 4 modes: drilling, impact drilling, chiselling (locked) and chiselling with free rotation, and a drilling capacity of: 40 mm for wood, 26 mm for concrete and 13 mm for steel.

The QCC adapter provides an instant change from the quick-clamp drill chuck to the most popular SDS Plus.

The RH3010 has a low weight, so it enhances user maneuverability and reduces fatigue, facilitating prolonged and comfortable operation during construction or demolition tasks.

### Technical data:

- 4 modes: drilling, hammer drilling, chiselling (locking), chiselling (free rotation)
- Speed: 0-1200 rpm
- SDS keyless chuck
- QCC – Quick chuck change
- Rated Impacts per Minute: 0-5300 r/min
- Impacts Energy: 2.8 J
- Cord length: 2.2 m
- Max drill capacity: wood: 40 mm, concrete: 26 mm, steel: 13 mm
- Power supply 230-240 V ~ 50 Hz, power: 800 W, max 1200 W
- Dimensions: 33 x 8.2 x 20.5 cm
- Weight: 3 kg
- INCLUDES:
  - 3 SDS concrete drill bits (6, 8, 10 mm)
  - 2 chisels (point, flat)
  - Drilling depth stop, auxiliary handle
  - SDS+ chuck and quick release chuck
  - BMC
- Code EAN: 5901750506178



# RANDOM ORBIT SANDERS

## OS3010



BLAUPUNKT OS3010 eccentric grinder is a compact and easy-to-use machine with an ergonomic design that is ideal for all woodwork as well as for renovation. Its 300W rated motor ensures stable and reliable operation of the unit, while the adjustable speed 12000 rpm guarantees high productivity and the appropriate speed adjustment to your workpiece. The two-millimetre diameter of the oscillating movement, combined with the free rotating movement, allows for efficient and precise processing of the material to be ground. 125 mm disc with Velcro fastening allows the sandpaper to be changed quickly and easily. Due to the extraction system including a dust container, your workplace will always remain clean and healthy.

### Technical data:

- Rated power: 300 W
- No-load speed: 12000 rpm
- Disc diameter 125 mm
- Oscillating motion diameter 2 mm
- Velcro type sandpaper mounting function
- Dust collection function
- Power cord 2 m
- Voltage 230 V ~ 50 Hz
- Accessories:
  - 1 x plastic dust container,
  - 1 x vacuum cleaner adapter
  - 12 x sandpaper grit:  
(2 x P60, 4 x P80, 2 x P100, 2 x P120, 2 x P180)
- Dimensions: 25 x 12,5 x 15 cm
- Weight: 1.45 kg
- EAN code : 5901750505560



## OS5010



### Technical data:

- Rated power: 300 W
- No-load speed: 4000 - 12000 rpm
- Disc diameter 125 mm
- Oscillating motion diameter 4 mm
- Velcro type sandpaper mounting function
- Dust collection function
- Power cord 2 m
- Speed control function
- Voltage 230 V ~ 50 Hz
- Accessories:
  - 1 x plastic dust container
  - 1 x vacuum cleaner adapter
  - 12 x sandpaper grit:  
(2 x P60, 4 x P80, 2 x P100, 2 x P120, 2 x P180)
- Dimensions: 28.5 x 12.5 x 15 cm
- Weight: 1.5 kg
- EAN code : 5901750505577



# OS6010



300 W



125 mm



12 000 rpm



ADAPTER



2 m



Speed control

## Technical data:

- Power supply: 230 V ~ 50 Hz
- Rated power: 220 W, max power: 300 W
- Speed control, no-load speed: 7000-12000 rpm
- Replaceable sander base:
  - delta shape base: 140 x 140 x 100 mm
  - round base: 125 mm
  - rectangular base: 187 x 90 mm
  - finger sanding attachment: 30 x 90 mm
- Diameter of oscillating motion 1.8 mm
- Velcro sandpaper attachment function
- Dust extraction function
- Power cord 2 m
- Dimensions: 20 x 13.5 x 10 cm
- Weight: 1.4 kg
- INCLUDES:
  - 1 x plastic dust container
  - 1 x vacuum cleaner adapter
  - Sandpaper grit of each shape: P60, P80, P120
- Owner's manual
- Warranty card
- Code EAN: 5901750507755









# ANGLE GRINDER

## AG4010



### Technical data:

- No load speed: 2,300 – 11,000 rpm
- Disc diameter: 125 mm
- Spindle thread: M14
- Disc bore diameter: 22 mm
- Rotation speed adjustment
- Side auxiliary handle
- Power cord: 1.8 m
- Power supply 230-240 V ~ 50 Hz, power: 800 W, max 1400 W
- Dimensions: 32 x 11 x 10 cm
- Weight: 1.7 kg
- INCLUDES:
  - D-shape auxiliary handle
  - 3 grinding discs, 3 cutting discs
  - Allan key
  - Carbon brushes
- Code EAN: 5901750506147

# CAR POLISHER

## CP4010



### Technical data:

- 180 mm disc with velcro for buffing and polishing pads
- Set of 4 polishing sponge pads
- No-load speed: 500-3500 rpm
- 1-7 variable speed regulation
- Cord length: 1.8 m
- INCLUDES:
  - D-shape auxiliary handle
  - 180 cm velcro disc
  - Set of 4 sponges
  - Allan key
  - Carbon brushes
- Power supply 230-240 V ~ 50 Hz, power: 1200 W, max 1600 W
- Dimensions: 45 x 16 x 24 cm
- Weight: 2.7 kg
- Code EAN: 5901750506123

# JIGSAW

## JS5010



BLAUPUNKT's JS5010 jigsaw with a maximum power of 1,400 watts can be used to cut a variety of materials, including wood, metal, plastic or, for example, ceramic tiles during renovations.

Variable adjustment of speed, a no-load stroke frequency of 0 – 3,000 RPM, an adjustable 45° cutting angle and a maximum cutting depth of 65 mm guarantee precise cutting adapted to the type of material.

The JS5010 also has the option of dust extraction when connected to an external extraction device.

The jigsaw has a tool-free blade change system (SDS), a laser and a work light, which greatly enhances working comfort.

---

#### Technical data:

- Strokes per minute: 0-3000 rpm
- Variable speed regulation
- Max cutting length: 65 mm
- Tool-less blade change (SDS)
- Pendulum action jigsaw
- Laser function
- Cord length: 1.8 m
- Power supply 230-240 V ~ 50 Hz, power: 800 W, max 1400 W
- Dimensions: 22 x 7 x 20.5 cm
- Weight: 2.1 kg
- INCLUDES:
  - 11 saw blades
  - Side guide
  - Toolbox
- Code EAN: 5901750506154



# ELECTRIC MIXERS



## EM3010



### Technical data:

- Power supply: 220-240 V ~50 Hz
- Maximum power 1600 W
- Speed control
- No-load speed: 220-800 rpm
- Diameter of the paddle: 120 mm
- Connection: M14
- Soft start function
- Cable length of 1.8 m
- Dimensions: 33 x 21 x 81 cm
- Weight: 3.9 kg
- INCLUDES:
  - Electric mixer
  - Paddle x 2 pcs.
  - Carbon brushes
  - Owner's manual
  - Warranty card
- EAN Code: 5901750506161

## EM5010



### Technical data:

- Power supply: 220-240 V~50 Hz
- Maximum power 1800 W
- 2 gears
- Speed control
- No-load speed: 0-600/0-900 rpm
- Diameter of the paddle: 120 mm
- Connection: M14
- Soft start function
- 2 m long cable
- Dimensions: 32.5 x 20 x 86 cm
- Weight: 4.6 kg
- INCLUDES:
  - Electric mixer
  - Mixing paddle
  - Owner's manual
  - Warranty card
- Code EAN: 5901750505911



# RECIPROCATING SAW

## RS6010



### Technical data:

- High maximum power: 1200 W
- Nominal power 800W
- 0-2800 strokes per minute
- Speed adjustment in the trigger
- Maximum cutting length 115 mm
- Rotating handle
- Tool-free blade change (SDS)
- Power cord length: 1.8 m
- Power supply 230-240 V ~ 50 Hz
- Dimensions: 46 x 8 x 21 cm
- Weight: 2.4 kg
- INCLUDES:
  - 3 saw blades for metal
  - 3 saw blades for wood
- Code EAN: 5901750506130



# HEAT GUNS

## HG2010



### Technical data:

- Power supply: 230-240 V ~ 50 Hz
- 2000 W
- Temperature range: 350-600 °C
- Air flow 300/500 l/min
- Temperature control
- Two-stage blow control
- Double ventilation ducts
- Comfortable rubberized handle
- Power cord length: 1.8 m
- Dimensions: 36 x 7.9 x 21 cm
- Weight: 0.78 kg
- Code EAN: 5901750506222



## HG5010



### Technical data:

- Power supply: 230-240 V ~ 50 Hz
- 2000 W
- Temperature range: 60-600 °C
- Air flow 300/500 l/min
- Temperature control
- Two-stage blow control
- Double ventilation ducts
- Comfortable rubberized handle
- Power cord length: 1.8 m
- Dimensions: 36 x 7.9 x 21 cm
- Weight: 0.78 kg
- Code EAN: 5901750506239



# HOT GLUE GUNS

## GG3010 / GG6010



### Technical data GG3010:

- Power supply: 220-240 V ~ 50 Hz
- Power: 30 W
- Glue stick diameter: 7 mm
- Working temperature: 120-180°C
- Comfortable handle
- Power cord length: 1.4 m.
- Dimensions: 10.5 x 5.2 x 2.5 cm
- Weight: 0.16 kg
- INCLUDES:
  - Glue gun
  - 2 glue sticks (10 cm)
- EAN code: 5901750507625

### Technical data GG6010:

- Power supply: 220-240 V ~ 50 Hz
- Power: 100 W
- Glue stick diameter: 11 mm
- Working temperature: 120-180°C
- Comfortable handle
- Power cord length: 1.4 m.
- Dimensions: 21 x 12.8 x 3.8 cm
- Weight: 0.26 kg
- INCLUDES:
  - Glue gun
  - 2 glue sticks (10 cm)
- EAN code: 5901750507632



# ELECTRIC HEATERS

## EH3010



### Technical data:

- Power supply: 220-240V~50Hz
- Power 2000W
- Working area up to 22m<sup>2</sup>
- Airflow: 239 m<sup>3</sup>/h
- 2 operating modes: fan, heater
- Adjustable thermostat
- Improved air circulation efficiency
- Durable steel heating element
- Overheating protection
- Dimensions: 29 x 22 x 23 cm
- Weight: 3 kg
- Code EAN: 5901750505874



## EH5010



### Technical data:

- Power supply: 220-240V~50Hz
- Power 3000W
- Working area up to 30m<sup>2</sup>
- Airflow: 286 m<sup>3</sup>/h
- 3 operating modes: fan, heating 1500 / 3000W
- Adjustable thermostat
- Improved air circulation efficiency
- Durable steel heating element
- Overheating protection
- Dimensions: 31 x 24 x 24.5 cm
- Weight: 3.4 kg
- Code EAN: 5901750505881



## EH7010



### Technical data:

- Power supply: 220-240 V~50 Hz
- Power 2000W
- Working area up to 22 m<sup>2</sup>
- Airflow: 260 m<sup>3</sup>/h
- 3 operating modes: fan, heating 1000 / 2000 W
- Adjustable thermostat
- Improved air circulation efficiency
- Durable steel heating element
- Overheating protection
- IPX4 waterproof class
- Dimensions: 22.5 x 19.8 x 31.5 cm
- Weight: 3.5 kg
- Code EAN: 5901750505898



## EH9010




### Technical data:

- Power supply: 220-240V~50Hz
- Power 3000W
- Working area up to 30 m<sup>2</sup>
- Airflow: 514 m<sup>3</sup>/h
- 3 operating modes: fan, heating 1500 / 3000 W
- Adjustable thermostat
- Improved air circulation efficiency
- Durable steel heating element
- Overheating protection
- IPX4 waterproof class
- Dimensions: 27 x 25.5 x 40 cm
- Weight: 4.6 kg
- Code EAN: 5901750505904



# Cordless Garden Tools

- Grass shear/hedge trimmer
- Lawn mowers
- Blower
- Grass trimmer
- Reciprocating saw
- Hedge trimmer
- Chainsaws



***Enjoy it.***




# CORDLESS GRASS SHEAR 2 IN 1 WITH HEDGE TRIMMER 3.6 V

## CT2010



### Technical data:

- Voltage: 3.6 V
- Rated speed: 1100 min-1
- Grass-trimming blade- cutting width: 76 mm; blade width: 80 mm
- Shrub-trimming blade- cutting length: 120 mm; distance between teeth: ~ 8 mm
- Battery: 3.6 V, 1.5 Ah, Li-Ion
- Battery charging time: ~4 h
- Accessories: 1 x 1 m micro USB charging cable
- Dimensions: 32 x 12 x 9 cm
- Weight: 0.55 kg
- EAN code: 5901750507403



# GRASS TRIMMER 18 V

## CT5010



### Technical data:

- Voltage: 18 V
- Cutting Diameter: 230 mm
- String diameter: 1.2 mm
- No load speed: 10.000 rpm
- Telescopic tube
- With trimming wheel
- With edge trimming function
- With rotatable cutting head
- With rotatable auxiliary handle
- With flower protect guard steel wire
- Battery type: 18 V Li-Ion, 2.0 Ah or 4 Ah recommended (not included)
- Dimensions: 118 x 27 x 32 cm
- Weight: 1.8 kg
- EAN code: 5901750507397



# LAWN MOWER

## CL3010



### Technical data:

- Voltage: 18 V
- Brushless motor
- Cutting width: 330 mm
- Cutting height: 25-75 mm
- Central cutting height adjustment
- No-load rotation speed: 2900 RPM
- Wheels diameters: 14 and 16.5 cm
- Hopper capacity: 30 L
- Grass grinding function
- Rechargeable battery: 18 V Li-Ion, 2.0 Ah (not included), 4.0 Ah or 5 Ah recommended (not included)
- Dimensions: 127 x 95 x 40 cm
- Weight: 10.3 kg
- EAN code: 5901750507496



## CL7010



**36 V**  
18v + 18v

### Technical data:

- Voltage: 36 V
- Brushless motor
- Cutting width: 430 mm
- Cutting height: 25-75 mm
- Central cutting height adjustment
- No-load rotation speed: 2900 RPM
- Wheels diameters: 18 and 25 cm
- Hopper capacity: 50 L
- Grass grinding function
- Rechargeable batteries: 2 x 18 V Li-Ion, 2.0 Ah (not included), 2 x 4.0 Ah or 5 Ah recommended (not included)
- Dimensions: 128 x 105 x 50 cm
- Weight: 11.5 kg
- EAN code: 5901750507502





# HEDGE TRIMMER 18 V

## CT6010



### Technical data:

- Voltage: 18 V
- Trimmer length: 580 mm
- Cutting Capacity: 15 mm
- No Load Speed : 1300 rpm

- Rotatable Handle
- Laser Cut Blade
- Electronic Brake
- Trimmer working length: 52 cm
- Teeth spacing: 2 cm

- Battery type: 18 V Li-Ion, 2.0 Ah or 4 Ah recommended (not included)
- Dimensions: 82 x 18 x 17 cm
- Weight: 2.2 kg
- EAN code: 5901750507359

# RECIPROCATING SAW 18 V

## CR5010



### Technical data:

- Voltage: 18 V
- Stroke length: 13 mm
- SDS blade replacement system
- Maximum cutting thickness: 28 mm
- No-load speed: 2200 rpm

- Battery type: 18 V Li-Ion, 4.0 Ah recommended
- INCLUDES:
  - 1 x wood blade
  - 1 x metal blade
  - User Manual

- Warranty card
- Dimensions: 43.2 x 7.5 x 12.5 cm
- Weight: 1.15 kg
- EAN code: 5901750506697



# CHAINSAWS 18 V

## CS2010



### Technical data:

- Voltage: 18 V
- Total chain guide length: 156 mm
- Chain speed: 4.7 m/s
- Speed: 3200 min<sup>-1</sup>
- Maximum depth of cut: 110 mm
- Accessories: 1 x belt clip, 1 x screwdriver (for chain tension adjustment)
- Battery type: 18 V Li-Ion, 4.0 Ah recommended (not included)
- INCLUDES:
  - 1 x belt clip
  - 1 x screwdriver (for adjusting chain tension)
  - User Manual
  - Warranty card
- Dimensions: 41 x 11.5 x 16 cm
- Weight: 1.5 kg
- EAN code: 5901750506673



# CS3120



SDS  
System



AUTO



250 mm

## Technical data:

- Voltage: 18 V
- Total chain guide length: 250 mm
- Chain speed: 5.7 m/s
- Speed: 3000 min<sup>-1</sup>
- Maximum depth of cut: 235 mm
- SDS system – tool-free chain tension adjustment
- Automatic chain lubrication (Oil tank 0.2 l)
- Motor type: brushed DC
- Battery type: 18 V Li-Ion, 4.0 Ah or 5Ah recommended (not included)
- Dimensions: 64 x 22 x 20 cm
- Weight: 3.06 kg
- EAN code: 5901750507519



# CS4120



BRUSHLESS  
MOTOR



SDS  
System



AUTO



300 mm

## Technical data:

- Voltage: 18 V
- Total chain guide length: 300 mm
- Chain speed: 4.95 m/s
- Speed: 2600 min<sup>-1</sup>
- Maximum depth of cut: 263 mm
- SDS system – tool-free chain tension adjustment
- Automatic chain lubrication (Oil tank 0.2 l)
- Motor type: brushless DC
- Battery type: 18 V Li-Ion, 4.0 Ah or 5 Ah recommended (not included)
- Dimensions: 69 x 22 x 20 cm
- Weight: 3.16 kg
- EAN code: 5901750507526



# CORDLESS BLOWER

## CB2010



### Technical data:

- Voltage: 18 V
- No-load speed: 13,000 rpm
- 2 speed settings: 110 km/h and 210 km/h
- Rechargeable battery: 18 V Li-Ion, 2.0 Ah (not included), 4.0 Ah recommended (not included)
- Dimensions: 92 x 15 x 18.5 cm
- Weight: 1.2 kg
- EAN code: 5901750506680



## CB4010



### Technical data:

- Voltage: 18 V
- No-load speed: 16,000 rpm
- Max air flow volume: 570 m³/h
- Max air speed: 160 km/h
- 2 speed level: normal, turbo mode
- Rechargeable battery: 18 V Li-Ion, 2.0 Ah (not included), 4.0 Ah recommended (not included)
- Dimensions: 90 x 15 x 26 cm
- Weight: 1.84 kg
- EAN code: 5901750507946



# Corded Garden Tools

- Grass trimmers
- Brush cutters
- Hedge trimmer
- Electric heat gun
- Gas weed burner
- Chainsaws
- Garden shredders
- Leaf vacuum blower
- Pressure washers
- Dirty water pumps



***Enjoy it.***



# GRASS TRIMMERS

## GT7010



### Technical data:

- Voltage: 230-240 V ~ 50 Hz
- Power: 550W
- Rotational speed: 10000/min
- Cutting diameter: 29 cm
- String diameter: 1.4 mm
- Double string
- Power cord length: 20 cm
- Head type: automatic
- Dimension: 120 x 29 x 29 cm
- Weight: 2.42 kg
- INCLUDES:
  - Grass trimmer
  - User's manual
  - Warranty card
- EAN code: 5901750506482

## GT3010




### Technical data:

- Voltage: 230-240 V ~ 50 Hz
- Power: 250W
- Rotational speed: 12000/min
- Cutting diameter: 22 cm
- String diameter: 1.2 mm
- Double string
- Power cord length: 35 cm
- Head type: semi-automatic
- Dimension: 66 x 21 x 83 cm
- Weight: 1.26 kg
- EAN code: 5901750506390

# BRUSH CUTTERS


## BC5010



### Technical data:

- Power supply: 220-240 V~50 Hz
- Motor type: electric, brush
- Motor power: 1400 W
- Rotational speed: 7500 rpm
- Cutting diameter of the string: 420 mm
- Type and type of head: semi-automatic/double string
- Recommended string diameter: from 1.6 mm to 2.0 mm
- Handle: type V (bicycle)
- Cutting blade: metal, diameter 255 mm
- Drive shaft type: split
- Cable length of 0.3 m.
- Dimensions: 186 x 64 x 38 cm
- Weight: 6.3 kg
- INCLUDES:
  - Cutting head with the string
  - Cutting disc
  - Comfortable shoulder strap
- Code EAN: 5901750506451

## BC3010




### Technical data:

- Power supply: 220-240 V~50 Hz
- Motor type: electric, brush
- Motor power: 1400 W
- Rotational speed: 7500 rpm
- Cutting diameter of the string: 420 mm
- Type and type of head: semi-automatic /double string
- Recommended string diameter: from 1.6 mm to 2.0 mm
- Cutting blade type: metal
- Cutting blade diameter: 255 mm
- Drive shaft type: split
- Cable length of 0.3 m
- Dimensions: 186 x 42 x 28 cm
- Weight: 6 kg
- INCLUDES:
  - Cutting head with the string
  - Cutting disc
  - Comfortable shoulder strap
- Code EAN: 5901750506444

# HEDGE TRIMMER

## HT6010



### Technical data:

- Voltage: 230-240 V ~ 50 Hz
- High maximum power: 1800 W
- Safe and efficient operation
- Lightweight design
- Low vibration level
- Two-stage start-up system
- Trimmer working length: 55 cm
- Teeth spacing: 2 cm
- Dimensions: 102 x 18 x 19 cm
- Weight: 2.5 kg
- INCLUDES:
  - Hedge trimmer
  - User's manual
  - Warranty card
- EAN code: 5901750506468

# ELECTRIC HEAT GUN

## HG6010



### Technical data:

- Power supply: 230-240 V ~ 50 Hz
- 2000 W
- Temperature range: 60/350/600°C
- Air flow 300/500 l/min
- Two-speed blow control
- Double ventilation ducts
- Comfortable rubberized handle
- Power cord length: 1.8 m
- Dimensions: 104 x 15.5 cm
- Weight: 1.65 kg
- INCLUDES:
  - Heat gun
  - 5 nozzles:
    - 1 x cone nozzle;
    - 1 x triangular nozzle;
    - 1 x weed burner nozzle;
    - 1 x BBQ starter nozzle;
    - 1 x reflector nozzle
- Code EAN: 5901750506406

# GAS WEED BURNER

## WB2010



### Technical data:

- Lightweight and cordless
- Piezo igniter
- Gas cartridge connection with bayonet lock
- Operating temperature: 1300 °C
- Adjustable flame
- Operating time on 1 cartridge: 1.5 - 3 h; depending on flame strength setting
- Dimensions: 80 x 9 cm
- Weight: 0.45 kg
- EAN code: 5901750507205

# CHAINSAWS

## CS3010



An electric chainsaw is a piece of equipment used by many farmers and gardeners. It will come in handy wherever there is a thick branch to cut or firewood to prepare.

Chainsaw Model CS3010 is an electric equipment with a nominal power of 2200W. Its rotational speed is 13.5 m/s. The 0.12-second brake application function will ensure the user's safety in the event of any emergency during the job. The use of the SDS system allows tool-free tensioning, maintenance, and installation of the chain.

This model is ideal for domestic work, tidying up your garden or preparing firewood for the winter. The unit's light weight of 4.45 kg makes the CS3010 simpler and less demanding to handle and allows it to cut beams, boards, branches, and small trees. Ergonomic rubberised handle improves comfort.

### Technical data:

- Nominal power of the machine: 2200 W
- Guide rail length: 35 cm
- Chain type: 3/8" low profile 0.050"
- Number of chain links: 52 pcs
- Chain speed: 13.5 m/s
- Rotational speed without load: 7000 rpm
- Chain brake: 0.12 s
- Oil tank capacity: 120 ml
- Power supply 230-240 V ~ 50 Hz, power: 2200 W
- Dimension: 85 x 24.5 x 17.5 cm
- Weight: 4.45 kg
- EAN code: 5901750505737



## CS4010



### Technical data:

- Nominal power of the machine: 2400 W
- Guide rail length: 40 cm
- Chain type: 3/8" low profile 0.050"
- Number of chain links: 56 pcs
- Chain speed: 13.5 m/s
- Chain brake: 0.12 s
- Oil tank capacity: 120 ml
- Rotational speed without load: 7000 rpm
- Power supply 230-240 V ~ 50 Hz, power: 2400 W
- Dimension: 91 x 27.5 x 19 cm
- Weight: 4.75 kg
- EAN code: 5901750505744



# GARDEN SHREDDERS

## GS3010



### Technical data:

- High power: 2400 W
- Maximum branch diameter Ø 45 mm
- Knife type: disc
- Torque: 8 Nm
- Wheels for easier transport
- A stable base
- Power supply: 230-240 V~ 50 Hz
- Dimension: 40 x 25 x 96 cm
- Weight: 8.9 kg
- INCLUDES:
  - 60 l bag
  - User's manual
  - Warranty card
- EAN code: 5901750506499



## GS7010



### Technical data:

- High power: 2600 W
- Maximum branch diameter Ø 45 mm
- Rotation speed: 42 rpm
- Knife type: roller
- Torque: 400 Nm
- Wheels for easier transport
- A stable base
- 60 l residue container
- Power supply: 230-240 V~ 50 Hz
- Dimension: 55 x 36 x 90 cm
- Weight: 26.81 kg
- EAN code: 5901750506505



BLAUPUNKT  
Garten-TOOLS #

2600 W

BLAUPUNKT  
Garten-TOOLS #



# LEAF VACUUM BLOWER

## LB3010



### Technical data:

- Power supply: 220-240 V ~ 50 Hz
- High power: 3500 W
- Lightweight design
- Blower air speed up to 350 km/h
- Max airflow in blower mode: 13 m<sup>3</sup>/s
- 2 speed level: normal, turbo
- Power cord length: 0.3 m
- Dimensions: 82 x 16 x 26 cm
- Weight: 2.7 kg
- Code EAN: 5901750507939



## BV4010



### Technical data:

- Power output 3500 W
- 3 in 1 – blower, vacuum and shredder
- Lightweight design
- Bag capacity 45 l
- 10:1 mulching factor
- Blower air speed up to 270 km/h
- Capacity in vacuum mode: 792 m<sup>3</sup>/h
- Capacity in blower mode: 792 m<sup>3</sup>/h
- Speed: 9,000 - 15,000 rpm
- 6-stage speed control
- Wire: 0.3 m
- LPA: 90.2 dB(A), KpA: 3 dB(A)
- LWA: 105 dB(A)
- Vibrations: 4.27 m/s<sup>2</sup>
- Power supply: 230-240 VAC 50/60 Hz
- Dimensions: 120 x 16 x 30 cm
- Weight: 2.65 kg
- EAN code: 5901750505720



# DIRTY WATER PUMPS

## WP4001



### Technical data:

- Maximum capacity: 8000 l/h
- Maximum head: 5.5 m
- Maximum working depth: 7 m
- Maximum water temperature: 35°C
- Maximum size of particles: 35 mm
- Power cord: 10 m
- Protection class: IPX8
- Connector size: 1", 5/4", 3/2,,
- Thermal breaker
- Float breaker: YES
- Power supply 230 V ~ 50 Hz, power: 400 W
- Dimension: 22 x 34 x 16 cm
- Weight: 3.4 kg
- EAN code: 5901750505683



## WP7501



### Technical data:

- Maximum capacity: 11000 l/h
- Maximum head: 7.5 m
- Maximum working depth: 7 m
- Maximum water temperature: 35°C
- Maximum size of particles: 35 mm
- Power cord: 10 m
- Protection class: IPX8
- Connector size: 1", 5/4", 3/2,,
- Thermal breaker
- Float breaker: YES
- Power supply 230 V ~ 50 Hz, power: 750 W
- Dimension: 22 x 34 x 16 cm
- Weight: 3.7 kg
- EAN code: 5901750505690



## WP1001



### Technical data:

- Maximum capacity: 16000 l/h
- Maximum head: 9 m
- Maximum working depth: 7 m
- Maximum water temperature: 35°C
- Maximum size of particles: 35 mm
- Power cord: 10 m
- Protection class: IPX8
- Connector size: 1", 5/4", 3/2,,
- Thermal breaker
- Float breaker: YES
- Power supply 230 V ~ 50 Hz, power: 1000 W
- Dimension: 22 x 37 x 16 cm
- Weight: 4.5 kg
- EAN code: 5901750505706



## WP1601



### Technical data:

- Maximum capacity: 20000 l/h
- Maximum head: 10 m
- Maximum working depth: 8 m
- Maximum water temperature: 35°C
- Maximum size of particles: 35 mm
- Power cord: 10 m
- Protection class: IPX8
- Connector size: 1", 5/4", 3/2,,
- Thermal breaker
- Float breaker: YES
- Power supply 230 V ~ 50 Hz, max power: 1600 W
- Dimension: 22 x 37 x 18 cm
- Weight: 5.4 kg
- EAN code: 5901750505713



# PRESSURE WASHERS

## PW6010



The BLAUPUNKT PW6010 pressure washer is a device with which you can quickly remove stubborn dirt from many surfaces. It is perfect for the home, garden or for washing the bodywork of a car or motorbike.

The machine has a maximum pressure of 180 bar (working pressure of 120 bar) and a power output of 2300 W, making it capable of removing the most stubborn dirt and stains, such as grime, dust or rust. It will also be ideal for washing bodywork.

And the PW6010's high output of 390 l/h ensures that cleaning is quicker and more effective. This parameter also ensures that the washer can cope with large surfaces or those that are difficult to clean, such as patio tiles, building facades or cars. The aluminium pump is a guarantee of long, trouble-free operation.

Safe operation is ensured by the Auto Stop System, which protects the unit from overheating or running dry. The washer will automatically switch off if it overheats or runs out of water.



### Technical data:

- High Power: 2300W
- Maximum/working pressure: 180 bar/120 bar
- Aluminum pump
- High pressure hose length: 5 m
- Nominal flow: 390 l/h
- Adjustable spray gun nozzle
- Power cord length: 5 m
- Auto Stop
- Thermal motor protection
- Dimensions: 30 x 35 x 74 cm
- Weight: 9.8 kg
- INCLUDES:
  - Lance
  - Turbo nozzle
  - 5 m pressure hose
  - Terrace cleaning brush
  - Rotating brush
  - Wide brush
  - 0.5 l detergent tank
  - Connection kit
- Code EAN: 5901750506604

## PW4010



### Technical data:

- High Power: 1600 W
- Maximum pressure: 135 bar
- Working pressure: 90 bar
- Aluminum pump
- High pressure hose length: 5 m
- Nominal flow: 330 l/h
- Compact design
- Adjustable spray gun nozzle
- Power cord length: 5 m
- Auto Stop
- Thermal motor protection
- Dimensions: 29 x 27 x 68 cm
- Weight: 6.2 kg
- INCLUDES:
  - Lance
  - Turbo nozzle
  - 5 m pressure hose
  - 0.5 l detergent tank
  - Connection kit
- Code EAN: 5901750506598







# Hand Tools

- Vacuum suction cups
- Axes
- Universal axe sharpener



***Enjoy it.***

# VACUUM SUCTION CUPS

## SC2010



The versatile suction cup for tiles, glazes and glass panes is an ideal grip, facilitating the transfer and manipulation, precise positioning and embedding of objects. The flexible silicone base ensures excellent tightness and maintaining negative pressure, the pressure gauge makes it easy to monitor the tool's operating parameters and the manual pump allows for quick adhesion and correction.

### Technical data:

- Maximum load capacity: 150 kg
- Diameter 200 mm
- Pressure gauge
- Hand pump
- Dimensions: 46 x 8 x 21 cm
- Weight: 1.45 kg
- INCLUDES:
  - Toolbox
  - Gloves
  - Repair kit
  - User's manual
  - Warranty card
- Code EAN: 5901750507762



## SC5010



### Technical data:

- Maximum load capacity: 150 kg
- Diameter 200 mm
- Electric pump
- Automatic vacuum restoration
- Battery capacity: 900 mAh
- Charging via USB-C port
- Dimensions: 46 x 8 x 21 cm
- Weight: 1.5 kg
- INCLUDES:
  - Toolbox
  - Gloves
  - Repair kit
  - User's manual
  - Warranty card
- Code EAN: 5901750507779



# AXES

## AX2650



### Technical data:

- Splitting axe
- Head - forged 45# carbon steel
- Shaft - reinforced with fiberglass
- Rubberized handle
- Head weight 1650 g
- Shaft length 770 mm
- Weight of the ax 2350 g
- Dimensions: 77.5 x 18 x 3.6 cm
- Weight: 2.4 kg
- Code EAN: 5901750506871



## AX1300



### Technical data:

- Splitting axe
- Head - forged 45# carbon steel
- Shaft - reinforced with fiberglass
- Rubberized handle
- Head weight 870 g
- Shaft length 610 mm
- Weight of the ax 1300 g
- Dimensions: 60.5 x 14.5 x 2.9 cm
- Weight: 1.3 kg
- Code EAN: 5901750506864



## AX0950



### Technical data:

- Universal axe
- Head - forged 45# carbon steel
- Shaft - reinforced with fiberglass
- Rubberized handle
- Head weight 630 g
- Shaft length 450 mm
- Weight of the ax 950 g
- Dimensions : 45 x 14 x 2.2 cm
- Weight: 0.95 kg
- Code EAN: 5901750506857



# AX2000



## Technical data:

- Splitting axe
- Head – forged carbon steel 45#
- Shaft – reinforced with fiberglass
- Head weight 2000 g
- Shaft length 800 mm
- Dimensions: 80 x 19.5 x 6 cm
- Weight: 2.85 kg
- Code EAN: 5901750506369



# AX1250



## Technical data:

- Universal axe
- Head – forged carbon steel 45#
- Shaft – reinforced with fiberglass
- Head weight 1250 g
- Shaft length 800 mm
- Dimensions: 80 x 18.5 x 3 cm
- Weight: 2.05 kg
- Code EAN: 5901750506352



# AX0600



## Technical data:

- Universal axe
- Head – forged carbon steel 45#
- Shaft – reinforced with fiberglass
- Head weight 600 g
- Shaft length 360 mm
- Dimensions : 36.5 x 14.5 x 2.5 cm
- Weight: 0.95 kg
- Code EAN: 5901750506345



# UNIVERSAL AXE SHARPENER

## AX0010




### Technical data:

- Ceramic grinding stones
- Compact design
- Anti-slip feet
- Easy and safe to use
- 2 in 1 (for both knives and axes)
- Double-sided sharpening, for right and left-handed people
- Dimensions: 17.5 x 4.5 x 4.6 cm
- Weight: 98 g
- Code EAN: 5901750506888



**● BLAUPUNKT**

**100** years  
brand est. 1924



***Enjoy it.***

Blaupunkt Competence Center, 2N-Everpol Sp. z o.o.  
Puławska 403A, 02-801 Warsaw, Poland  
tel. +48 22 688 08 00  
e-mail: [info@everpol.pl](mailto:info@everpol.pl), [www.blaupunkt.com](http://www.blaupunkt.com)

All the products included in this document have been manufactured and sold under the responsibility of 2N-Everpol Sp. z o.o.

BLAUPUNKT, BLAUPUNKT logo, and the 100 YEARS BLAUPUNKT logo are trademarks used under license by 2N-Everpol Sp. z o.o. – further information at [brand.blaupunkt.com](http://brand.blaupunkt.com).

All other products, services, companies, trademarks, trade or product names and logos referenced herein are the property of their respective owners.



[https://blaupunkt.com/c\\_ee/home-garden-c\\_ee/power-tools/](https://blaupunkt.com/c_ee/home-garden-c_ee/power-tools/)